AUTHOR INDEX VOLUME 62, 1997

A
Abu-Ghannam, N., 520
Acuff, G.R., 402, 429, 586, 591, 1205
Addo, K., 281
Adegoke, B.O., 404
Aguilar, C.N., 568
Aguilera, J.M., 1048
Ahn, D.U., 954
Aishima, T., 101
Ak, M.M., 1031
Alexander, W.S., 762
Alli, I., 57
Almeida-Dominguez, H.D., 516
Alonso, J., 511
Alvarez, V.B., 457, 535
Alzamora, S.M., 608
An, H., 729
Ang, C.Y.W., 66
Anton, M., 484
Anzaldúa-Morales, A., 568
Arendt, E.K., 1214
Aristoy, M-C., 1235
Arntfield, S.D., 1129
Arvidsson, P., 911
Asplund, M., 843
Astiasarán, I., 1076
Astier, C., 917
Aubourg, S.P., 295
Ayres, J.W., 413

B
Babbitt, J.K., 33
Baek, H.H., 249, 321
Baffico, P., 1048
Baker, R.A., 225, 242, 789
Bakker, J., 416, 653
Balaban, M.O., 8, 113, 230, 529
Bandarra, N.M., 40
Baniel, A., 377
Barbosa-Canovas,G.V., 748, 843, 855, 1124
Barbut, S., 382
Baron, A., 1116
Barrantes, L.D., 338
Barrett, D.M., 696
Bartholomai, G.B., 1105
Baruffaldi, R., 846
Bates, R.P., 256
Batista, I., 40
Baumes, R., 680, 1116
Bayonove, C., 680, 1116
Beaudry, R.M., 1043
Beggs, K.L.H., 1240
Belem, M.A.F., 851
Bello, J., 1076
Belury, M.A., 619
Benjakul, S., 729
Benyamin, Y., 917
Berg, T., 439
Berry, B.W., 203, 601, 1245
Berry, R.E., (2)iv; (6)iv
Beuchat, L.R., 889
Beyer, A.R., 43
Bigner, M.E., 203
Bishop, C.E., 949
Blanchard, S.P., 123
Blecker, C., 48
Bonelli, P., 693
Bortnowska, G., 737
Bouchet, B., 744
Bourgeois, C.-M., 635
Bowers, J.A., 1240
Boye, J.I., 57
Brecht, J.K., 256
Brennand, C.P., 1250
Brillouet, J.M., 1116
Browey, A.A., 348
Brown, D., 1240
Brusewitz, G.H., 762
Buera, M.P., 105, 693
Buescher, R.W., 267
Bunn, J.M., 138
Burgos, J., 284
Burma, P., 89
Buxaderas, S., 1142

C
Cabaroglu, T., 680
Cadwallader, K.R., 249, 321
Cai, R., 1129
Cai, T.D., 141
Calvo, M., 1034
Cameron, A.C., 659, 926
Cameron, R.B., 242
Canbas, A., 680
Canet, W., 511
Cano, M.P., 85
Cardona, S., 105
Careche, M., 717
Carey, J.B., 873
Carp, D.J., 1105
Carpenter, J.A., 194
Carr, J.M., 539, 544, 551
Casas, J.L., 93
Catignani, G.L., 1028
Cemero lu, B., 508
Cerrutti, P., 608
Champagne, C.P., 1072
Champagne, E.T., 701
Chan, W.K.M., 709
Chang, C.C., 299, 305
Chang, H-C., 194
Chang, K.C., 141, 824, 833
Chau, K.V., 230
Cheah, P.B., 1135
Chen, F-C., 15
Chen, H., 753
Chen, H-H., 985
Chen, H-L., 1080
Chen, S-L., 1080
Chen, X., 954
Cheng, W-S., 1095
Chiang, W-D., 480
Chiang, M.T., 1189
Chikuni, K., 451
Chin, H.W., 468
Chinachoti, P., 861
Chinnaswamy, R., 816
Chirife, J., 105, 693
Chiu, C.K., 996
Chiu, E-M., 985
Choi, S.H., 179
Chowdary Talasila, P., 926
Christenbury, G.D., 138
Christie, W.W., 40
Cisneros-Zevallos, L., 363
Claus, J.R., 1231
Clauss, E., 69
Clifford, M.N., 416
Clothier, T., 653
Coleman, M., 395
Collins, J.L., 622
Conner, D.E., 875
Connolly, J.F., 331, 1083
Conway, J., 1072
Cooke, D., 1145
Cooke, P.H., 797
Cordle, C.T., 480, 665, 946
Cormier, F., 245
Cornforth, D.P., 1250
Coupland, J.N., 342, 462
Couture, R., 246
Crupkin, M., 491
Cukierman, A.L., 693
Cumbee, B., 281
Cunha, L.M., 1039
Cuq, J.L., 907
Cutrufelli, M.E., 972

D
Damodaran, S., 1163
De Ancos, B., 85
De Baerdemaeker, J., 213
de Castro, A., 1120
De Jesus Avena-Bustillos, R., 351
De Peña, M.P., 1076
Decker, E.A., 500, 709
DeCordt, S., 261
DeFreitas, Z., 539, 544, 551
Dejmek, P., 454
Del Carmen de la Torre-Boronat, M., 1142
Demetriades, K., 342, 462
Den Ouden, F.W.C., 565
Deroanne, C., 48
Desobry, S.A., 1158
Devery, R., 331, 1083
Di Pentima, J.H., 616
Do, C.B., 246
Drake, M.A., 748, 843
Dreyfuss, M.S., 972
Du, W.X., 119
Dumont, J.P., 744
Duncan, S.E., 174
Dunford, N.T., 155

E
Eckert, L.A., 429
Edan, Y., 793
Eifert, J.D., 174
Eigel, W.N., 174
Elustondo, M.P., 1171
Emond, J-P., 1150
Empis, J.M., 40
Ena, J.M., 1034
Erikson, U., 43, 439, 898
Eskridge, K.M., 1176
Etzel, M.R., 167, 576, 996
Eun, J.B., 179

F
Fains, A., 377
Fallik, E., 793
Fanelli, J.S., 867
Fanni, J., 183
Farkas, J.K., 505
Faustman, C., 601, 709
Femenia, A., 635
Fenn, P., 131
Filipi, I., 1163
Fishman, M.L., 69
Fleming, H.P., 406
Flores, M., 1235
Floros, J.D., 505
Flurkey, W.H., 97
Fox, J.B. Jr., 1022
Frank, J.F., 171
Fransen, N.G., 1214
Frinault, A., 744
Fritsch, C.W., 425
Fuchigami, M., 359, 804, 809, 828
Furuta, S., 526

G
Gallant, D.J., 744
Galiardo, J.M., 295
Gandemer, G., 484
Gassem, M.A., 171
Gastaldi, E., 671, 907
Gastélum, G., 568
Gaudreau, H., 1072
Gauthier, S.F., 475
Gekas, V., 454
Genovese, D.B., 1171
Ghaedian, R., 500
Ghiaus, A.G., 1154
Giasson, S., 640
Gibbs, B.F., 851
Gibson, L.L., 1026
Gilleland, G.M., 713
Godavafti, S., 367
Godber, S. 704
Goedeken, D.L., 145, 150
Gokmen, V., 128
Gómez-Guillén, M.C., 838
Gonzalez, A.R., 131
Gooch, J.A., 626
Goulet, J., 1072
Graf, E., 1198
Granasambandam, R., 395
Gray, D.R., 816
Greig, R.I., 597
Griffiths, M.W., 399
Grinberg, S., 793
Grohmann, K., 242
Gudmundsdóttir, G., 894
Gudmundsson, M., 37
Guedalia, D., 793
Guedes-Lafargue, M.R., 1054
Güemes, D.R., 616
Guinard, J.-X., 1087
Guiraud, J.P., 611
Gunasekaran, S., 1031
Günata, Z., 680
Gunes, G., 572

H
Hackney, C.R., 174
Hafsteinsson, H., 37
Hagenmaier, R.,D., 789
Hamann, D.D., 20, 25, 29, 713
Hamill, T., 421
Han, D.C., 406
Han, Y.J., 138
Hanna, M.A., 816, 1057
Hansen, P.M.T., 457, 535
Haque, Z.U., 1163
Harbers, L.H., 53
Hargis, B.M., 873
Harrington, D., 331, 1083
Harris, N.D., 348
Harrison, M., 653
Harrison, S.L., 843
Hayakawa, K., 447, 813
Hayashi, T., 858
Heaney, R.P., 524
Heidel, A.E., 797
Hendricks, D.G., 931, 935, 1250
Hendrickx, M., 219, 261
Heremans, K., 261
Hernandez, A., 85
Hernandez, R.J., 160, 1043
Hettiarachchy, N.S., 270, 395, 821, 1101, 1110
Heuberger, M., 767
Hildebrand, D.F., 281
Hills, B.P., 653
Hinrichs, J., 992
Hintenlang, D.E., 230, 529
Hirschler, E.M., 959
Hizarcioglu, N., 128
Ho, K-L.G., 434
Hoagland, P.D., 69
Hoagland, T., 601
Hofland, C.N., 425
Hongsprabhas, P., 382
Hoseney, R.C., 1198. 1202
Hou, H.J., 824, 833
Howard, L.A., 1098
Howard, L.R., 89
Hsieh, Y-H.P., 15
Huang, J-R, 985
Huang, X.L., 1028
Huang, Y-W., 66

I
Iizuka, K., 101
Imm, J.Y., 967
Inoue, C., 496
Isaksson, T., 734
Ishikawa, M., 496
Israelachvili, J., 640, 767
Iwahashi, H., 404

J
Jägerstad, M., 911
Jahncke, M.L., 626
Jarosz, R., 737
Jeffery, E.H., 1098
Jeffery, M., 954
Jeon, I.J., 53
Jeremiah, L.E., 1026
Jiang, S-T., 310
Jo, C., 954
Johansen, S., 898
Johansson, F., 355
Johnston, T.V., 684

K
Kadan, R.S., 701
Kalapathy, U., 821
Kalapathy, U., 1110
Kallithraka, S., 416
Kantt, C.A., 1011
Karel, M., 105
Karwe, M.V., 367
Kato, N., 804, 809
Kato, N. (Hyakumoto), 359
Kautter, D.A., 878
Keeton, J.T., 316
Keller, G., 773, 781
Kelly, J., 331
Kendregan, S.L., 190
Kessler, H.G., 992
Kieckbusch, T.G., 548
Kilara, A., 1087
Kim, B.Y., 555,561
Kiosseoglou, V., 208
Kiuchi, H., 980
Kjellmer, G., 1083
Klein, B.P., 190, 421, 1098
Knopp, J.A., 20
Kobayashi, M., 757
Kohyama, K., 922
Kolakowski, E., 737
Kolbe, E., 724
Kollengode, A.N.R., 1057
Komatsu, Y., 404
Konja, G., 69
Konno, K., 980
Kotrola, J.S., 875
Kotzekidou, P., 410
Krahl, L.M., 1205
Krieg, D.P., 873
Krochta, J.M., 351, 363, 390, 1189
Kuhara, C., 488
Kuo, F.-L., 873
Kuraishi, C., 488
Kwon, Y.M., 873
Kyung, K.H., 406

L
Labbe, R.G., 861
Labuza, T.P., 1158
Lagaude, A., 907
LaGaude, A., 671
Lakritz, L., 1022
Lamarche, F., 75
Lamberti, I., 48
Lamghari El Hossori, R., 183
Lamuela-Raventos, R. 1142
Lanier, T.C., 20, 25, 29, 713
Lao, C., 1142
Launay, B., 773
Lavoie, J.P., 861
Lawless, F., 1083
Lebart, M.C., 917
LeBlanc, E., 289
Lecq, G., 773, 781
Ledward, D.A., 1135
Lee, B.H., 851

AUTHOR INDEX VOLUME 62, 1997

A
Abu-Ghannam, N., 520
Acuff, G.R., 402, 429, 586, 591, 1205
Addo, K., 281
Adegoke, B.O., 404
Aguilar, C.N., 568
Aguilera, J.M., 1048
Ahn, D.U., 954
Aishima, T., 101
Ak, M.M., 1031
Alexander, W.S., 762
Alli, I., 57
Almeida-Dominguez, H.D., 516
Alonso, J., 511
Alvarez, V.B., 457, 535
Alzamora, S.M., 608
An, H., 729
Ang, C.Y.W., 66
Anton, M., 484
Anzaldúa-Morales, A., 568
Arendt, E.K., 1214
Aristoy, M-C., 1235
Arntfield, S.D., 1129
Arvidsson, P., 911
Asplund, M., 843
Astiasarán, I., 1076
Astier, C., 917
Aubourg, S.P., 295
Ayres, J.W., 413

B
Babbitt, J.K., 33
Baek, H.H., 249, 321
Baffico, P., 1048
Baker, R.A., 225, 242, 789
Bakker, J., 416, 653
Balaban, M.O., 8, 113, 230, 529
Bandarra, N.M., 40
Baniel, A., 377
Barbosa-Canovas,G.V., 748, 843, 855, 1124
Barbut, S., 382
Baron, A., 1116
Barrantes, L.D., 338
Barrett, D.M., 696
Bartholomai, G.B., 1105
Baruffaldi, R., 846
Bates, R.P., 256
Batista, I., 40
Baumes, R., 680, 1116
Bayonove, C., 680, 1116
Beaudry, R.M., 1043
Beggs, K.L.H., 1240
Belem, M.A.F., 851
Bello, J., 1076
Belury, M.A., 619
Benjakul, S., 729
Benyamin, Y., 917
Berg, T., 439
Berry, B.W., 203, 601, 1245
Berry, R.E., (2)iv; (6)iv
Beuchat, L.R., 889
Beyer, A.R., 43
Bigner, M.E., 203
Bishop, C.E., 949
Blanchard, S.P., 123
Blecker, C., 48
Bonelli, P., 693
Bortnowska, G., 737
Bouchet, B., 744
Bourgeois, C.-M., 635
Bowers, J.A., 1240
Boye, J.I., 57
Brecht, J.K., 256
Brennand, C.P., 1250
Brillouet, J.M., 1116
Browey, A.A., 348
Brown, D., 1240
Brusewitz, G.H., 762
Buera, M.P., 105, 693
Buescher, R.W., 267
Bunn, J.M., 138
Burgos, J., 284
Burma, P., 89
Buxaderas, S., 1142

C
Cabaroglu, T., 680
Cadwallader, K.R., 249, 321
Cai, R., 1129
Cai, T.D., 141
Calvo, M., 1034
Cameron, A.C., 659, 926
Cameron, R.B., 242
Canbas, A., 680
Canet, W., 511
Cano, M.P., 85
Cardona, S., 105
Careche, M., 717
Carey, J.B., 873
Carp, D.J., 1105
Carpenter, J.A., 194
Carr, J.M., 539, 544, 551
Casas, J.L., 93
Catignani, G.L., 1028
Cemero lu, B., 508
Cerrutti, P., 608
Champagne, C.P., 1072
Champagne, E.T., 701
Chan, W.K.M., 709
Chang, C.C., 299, 305
Chang, H-C., 194
Chang, K.C., 141, 824, 833
Chau, K.V., 230
Cheah, P.B., 1135
Chen, F-C., 15
Chen, H., 753
Chen, H-H., 985
Chen, H-L., 1080
Chen, S-L., 1080
Chen, X., 954
Cheng, W-S., 1095
Chiang, W-D., 480
Chiang, M.T., 1189
Chikuni, K., 451
Chin, H.W., 468
Chinachoti, P., 861
Chinnaswamy, R., 816
Chirife, J., 105, 693
Chiu, C.K., 996
Chiu, E-M., 985
Choi, S.H., 179
Chowdary Talasila, P., 926
Christenbury, G.D., 138
Christie, W.W., 40
Cisneros-Zevallos, L., 363
Claus, J.R., 1231
Clauss, E., 69
Clifford, M.N., 416
Clothier, T., 653
Coleman, M., 395
Collins, J.L., 622
Conner, D.E., 875
Connolly, J.F., 331, 1083
Conway, J., 1072
Cooke, D., 1145
Cooke, P.H., 797
Cordle, C.T., 480, 665, 946
Cormier, F., 245
Cornforth, D.P., 1250
Coupland, J.N., 342, 462
Couture, R., 246
Crupkin, M., 491
Cukierman, A.L., 693
Cumbee, B., 281
Cunha, L.M., 1039
Cuq, J.L., 907
Cutrufelli, M.E., 972

D
Damodaran, S., 1163
De Ancos, B., 85
De Baerdemaeker, J., 213
de Castro, A., 1120
De Jesus Avena-Bustillos, R., 351
De Peña, M.P., 1076
Decker, E.A., 500, 709
DeCordt, S., 261
DeFreitas, Z., 539, 544, 551
Dejmek, P., 454
Del Carmen de la Torre-Boronat, M., 1142
Demetriades, K., 342, 462
Den Ouden, F.W.C., 565
Deroanne, C., 48
Desobry, S.A., 1158
Devery, R., 331, 1083
Di Pentima, J.H., 616
Do, C.B., 246
Drake, M.A., 748, 843
Dreyfuss, M.S., 972
Du, W.X., 119
Dumont, J.P., 744
Duncan, S.E., 174
Dunford, N.T., 155

E
Eckert, L.A., 429
Edan, Y., 793
Eifert, J.D., 174
Eigel, W.N., 174
Elustondo, M.P., 1171
Emond, J-P., 1150
Empis, J.M., 40
Ena, J.M., 1034
Erikson, U., 43, 439, 898
Eskridge, K.M., 1176
Etzel, M.R., 167, 576, 996
Eun, J.B., 179

F
Fains, A., 377
Fallik, E., 793
Fanelli, J.S., 867
Fanni, J., 183
Farkas, J.K., 505
Faustman, C., 601, 709
Femenia, A., 635
Fenn, P., 131
Filipi, I., 1163
Fishman, M.L., 69
Fleming, H.P., 406
Flores, M., 1235
Floros, J.D., 505
Flurkey, W.H., 97
Fox, J.B. Jr., 1022
Frank, J.F., 171
Fransen, N.G., 1214
Frinault, A., 744
Fritsch, C.W., 425
Fuchigami, M., 359, 804, 809, 828
Furuta, S., 526

G
Gallant, D.J., 744
Galiardo, J.M., 295
Gandemer, G., 484
Gassem, M.A., 171
Gastaldi, E., 671, 907
Gastélum, G., 568
Gaudreau, H., 1072
Gauthier, S.F., 475
Gekas, V., 454
Genovese, D.B., 1171
Ghaedian, R., 500
Ghiaus, A.G., 1154
Giasson, S., 640
Gibbs, B.F., 851
Gibson, L.L., 1026
Gilleland, G.M., 713
Godavafti, S., 367
Godber, S. 704
Goedeken, D.L., 145, 150
Gokmen, V., 128
Gómez-Guillén, M.C., 838
Gonzalez, A.R., 131
Gooch, J.A., 626
Goulet, J., 1072
Graf, E., 1198
Granasambandam, R., 395
Gray, D.R., 816
Greig, R.I., 597
Griffiths, M.W., 399
Grinberg, S., 793
Grohmann, K., 242
Gudmundsdóttir, G., 894
Gudmundsson, M., 37
Guedalia, D., 793
Guedes-Lafargue, M.R., 1054
Güemes, D.R., 616
Guinard, J.-X., 1087
Guiraud, J.P., 611
Gunasekaran, S., 1031
Günata, Z., 680
Gunes, G., 572

H
Hackney, C.R., 174
Hafsteinsson, H., 37
Hagenmaier, R.,D., 789
Hamann, D.D., 20, 25, 29, 713
Hamill, T., 421
Han, D.C., 406
Han, Y.J., 138
Hanna, M.A., 816, 1057
Hansen, P.M.T., 457, 535
Haque, Z.U., 1163
Harbers, L.H., 53
Hargis, B.M., 873
Harrington, D., 331, 1083
Harris, N.D., 348
Harrison, M., 653
Harrison, S.L., 843
Hayakawa, K., 447, 813
Hayashi, T., 858
Heaney, R.P., 524
Heidel, A.E., 797
Hendricks, D.G., 931, 935, 1250
Hendrickx, M., 219, 261
Heremans, K., 261
Hernandez, A., 85
Hernandez, R.J., 160, 1043
Hettiarachchy, N.S., 270, 395, 821, 1101, 1110
Heuberger, M., 767
Hildebrand, D.F., 281
Hills, B.P., 653
Hinrichs, J., 992
Hintenlang, D.E., 230, 529
Hirschler, E.M., 959
Hizarcioglu, N., 128
Ho, K-L.G., 434
Hoagland, P.D., 69
Hoagland, T., 601
Hofland, C.N., 425
Hongsprabhas, P., 382
Hoseney, R.C., 1198. 1202
Hou, H.J., 824, 833
Howard, L.A., 1098
Howard, L.R., 89
Hsieh, Y-H.P., 15
Huang, J-R, 985
Huang, X.L., 1028
Huang, Y-W., 66

I
Iizuka, K., 101
Imm, J.Y., 967
Inoue, C., 496
Isaksson, T., 734
Ishikawa, M., 496
Israelachvili, J., 640, 767
Iwahashi, H., 404

J
Jägerstad, M., 911
Jahncke, M.L., 626
Jarosz, R., 737
Jeffery, E.H., 1098
Jeffery, M., 954
Jeon, I.J., 53
Jeremiah, L.E., 1026
Jiang, S-T., 310
Jo, C., 954
Johansen, S., 898
Johansson, F., 355
Johnston, T.V., 684

K
Kadan, R.S., 701
Kalapathy, U., 821
Kalapathy, U., 1110
Kallithraka, S., 416
Kantt, C.A., 1011
Karel, M., 105
Karwe, M.V., 367
Kato, N., 804, 809
Kato, N. (Hyakumoto), 359
Kautter, D.A., 878
Keeton, J.T., 316
Keller, G., 773, 781
Kelly, J., 331
Kendregan, S.L., 190
Kessler, H.G., 992
Kieckbusch, T.G., 548
Kilara, A., 1087
Kim, B.Y., 555,561
Kiosseoglou, V., 208
Kiuchi, H., 980
Kjellmer, G., 1083
Klein, B.P., 190, 421, 1098
Knopp, J.A., 20
Kobayashi, M., 757
Kohyama, K., 922
Kolakowski, E., 737
Kolbe, E., 724
Kollengode, A.N.R., 1057
Komatsu, Y., 404
Konja, G., 69
Konno, K., 980
Kotrola, J.S., 875
Kotzekidou, P., 410
Krahl, L.M., 1205
Krieg, D.P., 873
Krochta, J.M., 351, 363, 390, 1189
Kuhara, C., 488
Kuo, F.-L., 873
Kuraishi, C., 488
Kwon, Y.M., 873
Kyung, K.H., 406

L
Labbe, R.G., 861
Labuza, T.P., 1158
Lagaude, A., 907
LaGaude, A., 671
Lakritz, L., 1022
Lamarche, F., 75
Lamberti, I., 48
Lamghari El Hossori, R., 183
Lamuela-Raventos, R. 1142
Lanier, T.C., 20, 25, 29, 713
Lao, C., 1142
Launay, B., 773
Lavoie, J.P., 861
Lawless, F., 1083
Lebart, M.C., 917
LeBlanc, E., 289
Lecq, G., 773, 781
Ledward, D.A., 1135
Lee, B.H., 851

Lee, B.J., 931, 936
Lee, B-L., 310
Lee, C.M., 1163
Lee, C.Y., 572
Lee, G-H., 138
Lee, H.G., 20, 25, 29
Lee, J.I., 954
Lee, J-J., 310
Lee, J.Y., 179
Lee, S.J., 53
Leepipattanawit, R., 1043
Lefebvre, A.-C., 635
Leiting, V.A., 352
Lepoutre, J.P., 680
Letcher, S.V., 1067
Leufven, A., 355
Li, Y., 605
Li-Chan, E.C.Y., 717
Lihono, M.A., 1226
Lim, L-T., 1061
Lin, C-W., 1080
Lin, S-B., 480, 665, 946
Linder, M., 183
Lineback, D.S., 505
Litchfield, J.B., 1011
Liu, F., 66, 447
Liu, H., 447, 813
Lognay, G., 48
Loisel, C., 773, 781
Lopez-Malo, A., 855
Lopez-Serrano, M., 676
Lopez-Tamames, E., 1142
Lozano, J.E., 1171
Lozano, Y.F., 1116
Lucia, L.M., 402, 1205
Ludbrook, K.A., 597
Ludikhuyze, L., 261
Luengo, G., 767
Lugo-Sánchez, M.E. 976
Luzuriaga, D.A., 113
Lynn, P.Y., 79
Lyon, B.G., 885
Lyon, C.E.., 885

M

Ma, C-Y., 1163
Ma, L., 748, 1124
Maauromoustakos, A., 131
Maca, J.D., 586
Maca, J.V., 429, 586, 591
Madsen, J.S., 579
Mageau, R.P., 972
Mainer, G., 1034
Makhlouf, J., 75
Mamoun, M., 1054
Mandigo, R.W., 1176
Maness, N.O., 762
Mangino, M.E., 535
Marchesseau, S., 671
Margaris, D.P., 1154
Marks, B.P., 131, 753
Marquez, V.O., 399
Marriott, N.G., 1231
Marroquin, E., 249
Marshall, M.R., 119
Martel, R., 475
Martens, H.J., 1167
Marti de Castro, M.A., 838
Martin, D.E., 704
Martin, S.T., 797
Matthews, R.F., 256
McClements, D.J., 342, 462, 500
McCluskey, S., 331
McKee, S.R., 959
McKenna, B., 520
McNamara, A.M., 972
McWatters, K.H., 889
Mehjean, L., 183
Mehmet Ak, M., 1031
Mikel, W.B., 875
Miladinov, V.D., 816
Miller, K.S., 1189
Miller, R.A., 1198, 1202
Miller, R.K., 429, 586, 591
Miller, R.L., 797
Mineki, M., 757
Ming, X, 413
Mitchell, C.A., 619
Mittal, G.S., 399
Miyazaki, K., 809
Montaño, A., 1120
Montecchia, C.L., 491
Montero, P., 838, 1183
Moquet, F., 1054
Mori, L., 1087
Morr, C.V., 338
Morris, C.A., 402
Morris, J.R., 684
Morris, K., 421
Morrissey, M.T., 729
Morzel, M., 1214
Muroya, S., 451
Murphy, J., 1083
Mutlu, M., 128
Muyonga, J.H., 1139

N

Nakai, H., 451
Nakajima, I., 451
Narciso, J.A., 1223
Nelles, L.P., 665, 946
Netto, F.M., 1158
Ng, P.K.W., 160
Ngadi, M., 1150
Nickel, K.P., 524, 619
Nielsen, M., 1167
Nielsen, S.S., 619
Nishi, M., 922
Nishiba, Y., 526
Nordtvedt, T.S., 439, 898
Noronha, J., 219
Nunes, M.L., 40
Nur, M., 15
Nyman, E.M.G-L., 1006

O

Oliveira, M.N., 846
Olivier, J.M., 1054
Olle, D., 1116
Ollivon, M., 773, 781
Olson, D.G., 539, 544, 551
Osburn, W.N., 1176
Osuna-Garcia, J.A., 1017
Ouali, A., 917
Oyashiki, H., 237
Özkan, M., 508
O'Brien, B., 331
O'Neill, E., 326

P

Pacheco-Aguilar, R.,976
Packard, P.I., 524
Palo, P.E., 1226
Palou, E., 855
Pangloli, P., 622
Panyam, D., 1087
Papa, I., 917
Papanikas, D.G., 1154
Paquin, P., 475
Paquot, M., 48
Paraskevopoulou, A., 208
Parish, M.E., 1223
Park, J.W., 555, 561, 724
Parmentier, M., 183
Pasternak, H., 793
Penna, A.L.B., 846
Pereira, C., 1001
Pérez-Borla, O., 491
Pérez-Mateos, M., 1183
Periago, M.J., 93
Pham, T.Q., 246
Phillips, R.D., 889
Piagentini, A.M., 616
Piernas, V., 611
Pierson, M.D., 174
Pilosof, A.M.R., 1105
Pirovani, M.E., 616
Ponchel, G., 781
Popineau, Y., 377
Pouliot, M., 475
Pouliot, Y., 475
Prabhu, G.A., 198
Price, L.C., 267
Prinyawiwatkul, W., 889
Puri, V.M., 647
Pyun, Y-R., 163

Q

Qi, J., 813
Qi, M., 1110
Quinton, R.D., 1250
Qvist, K.B., 579

R

Rachmani, D., 793
Raghavan, V.G.S., 57
Ramaswamy, H., 57
Ramos Guedes-Lafargue, M. 1054
Rand, A.G., 1067
Rayas, L.M., 160
Reagan, J.O., 373
Reddy, N.R., 878
Regenstein, J.M., 299, 305, 967, 1139, 1163
Rejano, L., 1120
Renault, C., 907
Reppond, K.D., 33
Rhee, K.S., 949, 1205
Rhodehamel, E.J., 878
Richard, O.A., 701
Ricke, S.C., 873
Rizvi, A.F., 1
Robbers, M., 1039
Robertson, J.A., 635
Rodríguez, T., 511
Rodriguez-Saona, L.E., 1001
Roldán, H., 491
Roman, M.G., 878
Rooney, L.W., 516
Ros, G., 93
Rós Barceló, A., 676
Rosenberg, M., 468
Rosett, T.R., 190, 421
Roura, S.I., 491
Roustan, C., 917
Rozan, P., 183
Rubens, P., 261
Rubiolo, A.C., 386
Rubnov, M., 135
Rulibikiye, A., 1150
Russell, A., 1145
Russell, C.M., 597
Rustad, T., 898

S

Sage, D.S., 8
Saguy, I.S., 135
Sakai, T., 237
Sakamoto, J., 488
Saltveit, M.E., 351, 363
Sams, A.R., 959
Sanchez, A.C., 284
Sánchez, A.H., 1120
Sánchez, L., 1034
Sandeep, K.P., 647
Sandine, W.E., 413
Santerre, C.R., 119
Sanz, Y., 1211
Sanz, Y., 583, 870
Sapers, G.M., 797
Savell, J.W., 402
Schebor, C., 105, 693
Schmidt, K.A., 171
Scullen, O.J., 867
Sebranek, J.G., 198, 434, 539, 544, 551
Seland, A., 898
Sell, J.L., 954, 1226
Sensidoni, A., 48
Serfass, R.E., 1226
Seymour, T.A., 729
Shellhammer, T.H., 390
Shih, M.C., 824, 833
Shimoyamada, M., 963
Shin, J-K., 163
Shin, T-S., 704
Shmulevich, I., 793
Siebert, K.J., 79
Sigholt, T., 43, 898
Silva, J.L., 249
Sims, C.A., 256
Singh, R.P., 1039
Skog, K., 911
Slavik, M.F., 605
Smart, D.J., 619
Smerage, G.H., 8
Smerage, G.H., 529
Sánchez, A.H., 1120
Smith, G.C., 373
Smith, G.L., 316
Smith, S.B., 316
Smith, D., 1163
Smittle, B.J., 529
Smyth, A.B., 326
Soeda, T., 488
Sofos, J.N., 373
Solas, M.T., 838
Solomon, H.M., 878
Soper, J., 1198
Sotelo, C.G., 295
Spanier, A.M., 1235
Srinivasan, S., 123, 939
Stalder, J.W., 316
Stanton, C., 331, 1083

Stefánsson, G., 894
Stoforos, N.G., 219
Su, Y.K., 1250
Suda, I., 526
Suhendro, E.L., 516
Suortti, T., 1006
Susa, Y., 488
Sutton, R.L., 1145
Suzuki, T., 922
Svanberg, S.J.M., 1006
Swaisgood, H.E., 1028
Swanson, B.G., 748, 843, 855
Sypien, C., 1218
Sznaper, C., 1116

T

Takahashi, Y., 858
Takayama, T., 237
Talamás, R., 568
Talasila, P.C., 659, 926
Tanabe, R., 451
Tang, J., 276, 688
Tarodo de la Fuente, B., 907
Taylor, R.G., 917
Teixeira, A.A., 8, 230, 529
Telis, V.R.N., 548
Temelli, F., 155, 289, 1194
Teramoto, A., 359, 804, 809, 828
Tessi, M.A., 616
Thayer, D.W., 1022
Thebaudin, J.-Y., 635
Thomas, R.L., 480, 665, 946
Tidwell, A.N., 131
Tidwell, J.H., 123
To, B.C.S., 167, 576
Tobback, P., 219, 261
Todoriki, S., 858
Toldrá, F., 583, 870, 1211, 1235
Toledo, R.T., 66
Tong, A.K.W., 1026
Tong, C.H., 1, 145, 150
Tong, V.H., 246
Torodo De La Fuente, B., 671
Torre-Boronat, M., 1142
Trone, J-S., 75
Tsao, C-Y., 310
Tsuchiya, M., 767
Tung, M.A., 276, 688, 1061
Turgut Dunford, N., 155, 289

U

Uatoni, B., 1087
Ustunol, Z., 1218

V

Van Boekel, M.A.J.S., 911
Van Dan Broeck, I. 261
Van Vliet, T., 565
Vedie, R., 1054
Venkitanarayanan, K.S., 601
Ventre, F., 917
Verlinden, B.E., 213
Vickers, Z.M., 425
Vidales, S.L., 608
Vigneault, C., 1150
Vila, R., 583
Villafuerte Romero, M., 696
Villanueva, M., 878
Villaume, C., 183
Virtanen, A.J., 145, 150
Voirin, A., 454

W

Waddell, C.A., 1017
Wagner, A.B., 89
Wagner, J., 1105
Waldron, D.F., 949
Walker, J.T., 605
Wall, M.M., 1017
Wallig, M.A., 1098
Wang, B., 939
Wang, H., 1231
Warin, F., 454
Watanabe, K., 963
Watkins, B.A., 505
Weaver, C.M., 524
Webb, A.G., 1011
Weber, G.H., 413
Weemaes, C., 261
Weller, A., 256
Wells, J.H., 704
Welt, B.A., 8, 230, 529
Welti-Chanes, J., 855
Were, L., 821
Weui, C.I., 119
Wianecki, M., 737
Wicker, L., 253
Wilson, L.A., 434
Wold, J.P., 734
Wrolstad, R.E., 1001
Wu, C., 954

X

Xie, Y.R., 1101
Xiong, H., 605
Xiong, Y., 1163
Xiong, Y.L., 123, 939
Xu, D.-H., 119
Xu, J., 963

Y

Yamanodera, K-i., 980
Yamazaki, K., 488
Yazici, F., 457, 535
Ye, J., 1067
Yemenicio lu, M., 508
Yépiz-Plascencia, G., 976
Yeralan, S., 113
Yildirim, M., 270
Yin, M-C., 1095
Yongsawatdigul, J., 724
Yoon, W.B., 555, 561
Yoshizawa, H., 640
Yu, R-C., 1080

Z

Zaika, L.L., 867
Zalacain, I., 1076
Zapelena, M.J., 1076
Zeng, Y., 276, 688
Zhang, X., 97
Zhou, L., 447
Ziegler, G.M. Jr., 701
Ziprin, Y.A., 949
Zorrilla, S.E., 386
Zoumas-Morse, C., 1087
Zuritz, C.A., 647

SUBJECT INDEX VOLUME 62, 1997

Volume 62, 1997

A

abuse
S. hadar on cabbage influenced by storage, 616
acceptability
of acidified meat and vegetable stick products, 1250
optimizing chicken nuggets containing cowpea and peanut flours, 889
accumulation
of flavor compounds in full and reduced fat cheddar cheese under different ripening conditions, 468
acetylation
water vapor resistance of apples and celery coated with monoglyceride films, 351
acid
acetic: effects on *Staph aureus* 196E growth based on predictive model, 174
amino: hydrolysis of milk protein by B licheniformis protease specific for acidic residues, 579; modeling contribution to non-enzymatic browning of potato chips, 1001
ascorbic: metal-catalyzed oxidation as affected by phytic acid in model system, 935; modeling contribution to non-enzymatic browning of potato chips, 1001
chlorogenic: modeling contribution to non-enzymatic browning of potato chips, 1001
fatty: composition and stability of goat meat patties as affected by breed type and feeding regimen, 949
hydrochloric: effects on Staph aureus 196E growth based on predictive model, 174
lactic: effects on Staph aureus 196E growth based on predictive model, 174; exopolysaccharide production from bacteria isolated from fermented foods, 597; fermentation of media containing high concentrations of yeast extracts, 1072; red wine and model wine astringency as affected by malic and lactic acid, 416; spray-drying, freeze drying, or freezing of bacteria, 576
linoleic: dietary influences on bovine milk cis-9,trans-11-conjugated, 1083; metal-catalyzed oxidation as affected by phytic acid in model system, 935
malic: red wine and model wine astringency as affected by malic and lactic acid, 416
milk gel formation as affected by total solids content, 671
organic: microbiological, sensory and chemical characteristics of beef treated with salts of, 591
phytic: metal-catalyzed oxidation of ascorbate, deoxyribose and linoleic acid as affected by, 935
acidification
acceptability and composition of meat and vegetable stick products, 1250
activation energy
patulin adsorption kinetics on activated carbon, 128
activity
modeling low temperature blanched carrot firmness based on heat induced processes and enzyme, 213
of LDH as endpoint heating indicator in cooked beef, 316
actomyosin
biochemical and physicochemical properties from frozen pre-and post-spawned hake, 491
physicochemical changes in whiting muscle proteins during iced storage, 729
adenosine
bacterial and autolytic changes in water retention and nucleotides of cod mince, 1139
adsorption
patulin kinetics on activated carbon, activation energy and heat of, 128
physical factors related to C18 columns for debittering protein hydrolysates, 946
agar
gel immunodiffusion test for identification of pollock surimi in raw meat products, 972
sugar diffusivity in gel/milk bilayer systems, 454
Agaricus bisporus
optimum measure of cap color in, 1054
aging
influence on lamb cooking losses and palatability, 1026
physical and biochemical effects of broiler breast tenderization by, 959
albumen
foaming properties of egg with bubbling apparatus compared with whipping, 377
albumin
thermal gelation in relation to binding of bovine serum polysaccharide systems, 1129
alkaline
corn cooking properties related to grain characteristics and viscosity, 516
alligator
aroma volatiles in cooked meat, 321
allyl isothiocyanate
vapor pressure of and its transport in PVDC/PVC copolymer packaging film, 1061
amines
kinetics of formation of polar heterocyclic in meat model system, 911
aminopeptidase
activities from Lactobacillus sake in models of curing ingredients and processing conditions for dry sausage, 1211
assay for microbial, 583
polyamines affect activity from Lactobacillus sake, 870
amylose
content of rice cultivars as related to texture of rice-based fries, 701
analysis
aroma composition of white wine of Vitis vinifera affected by skin contact, 680
biochemical and physicochemical properties of actomyosin from frozen pre-and post-spawned hake, 491
browning susceptibility and changes in composition during storage of carambola slices, 256
chemical characteristics and storage stability of pickled garlic, 1120
chemical, physical and sensory attributes of noodles with added sweet potato and soy flour, 622
composition and stability of goat meat patties as affected by breed type and feeding regimen, 949
composition, solubility and emulsifying properties of granules and plasma of egg yolk, 484
development and characterization of biodegradable/edible wheat protein films, 160
extraction and functional properties of barley B-glucan as affected by temperature and pH, 1194
fat and water composition affects residual catalatic activity in chicken breast heated to specific end-point temperatures, 66
fat, protein, and mineral components of added ingredients affect flavor qualities of tomato soups, 190
fermentation and properties of calcium-fortified soy milk yogurt, 457
firmness and cell wall characteristics of pasteurized Jalapeno pepper rings as affected by preheating and storage, 89
for hygrostress crack formation in cylindrical food during drying, 447
functional and immunological properties of casein hydrolysate produced from a two-stage membrane system, 480
garlic effects on dough properties, 1198
handling stress and storage temperature affect meat quality of salmon, 898
high pressure washing to remove decayed tissue and improve quality of clingstone peach puree, 131
HPLC of cabernet sauvignon and noble wine pigment fractions, 684
HPSEC of citrus and apple pectins after hollow fiber UF, 69
mechanical and barrier properties of rice bran films, 395
microbiological, sensory and chemical characteristics of vacuum-packaged cooked beef top rounds treated with Na lactate and Na propionate, 586
microbiological, sensory and chemical characteristics of vacuum-packaged ground beef patties treated with salts of organic acids, 591
NIR reflectance spectroscopy of curds during cheddar cheese making, 53
nutritional value of veal bone hydrolysate, 183
of meat and vegetable stick products, 1250
of visual quality attributes of shrimp by machine vision, 113
optimizing quality of frankfurters containing oat bran and added water, 194
osmotic-convective dehydrofreezing process for drying kiwifruit, 1039
pecan oil recovery and composition as affected by temperature, pressure, and supercritical CO_2 flow rate, 762
pectic enzyme treatment effects on quality of grape musts and wines, 1142
physical and biochemical effects of broiler breast tenderization by aging after pre-rigor deboning, 959
physical and sensory properties of model foods supplemented with cauliflower fiber, 635
physical properties of whey protein stabilized emulsions as related to pH and NaCl, 342
physicochemical changes in dietary fiber of green beans after repeated microwave treatments, 1006
physicochemical changes in prawns subjected to multiple freeze-thaw cycles, 123
physicochemical changes in whiting muscle proteins during iced storage, 729
physicochemical properties of whey protein-stabilized emulsions as affected by heating and ionic strength, 462
properties of anthocyanins from grape cell culture, 246
quality assessment of sardines during

storage by measurement of fluorescent compounds, 295
quality characteristics of ham formulated with modified corn starch and K-carrageenan, 198
rheology of full-fat and low-fat cheddar cheeses as related to type of fat mimetic, 748
seasonal changes in lipid composition of sardine, 40
sensory and chemical changes in spice salted herring as affected by handling, 894
sensory and chemical characteristics of Gulf of Mexico herring, 626
sensory and physical characteristics of reduced-fat turkey frankfurters with modified corn starch and water, 1240
sensory, microbial and chemical characteristics of stored ground beef containing Na lactate and Na propionate, 429
skeletal muscle connectin primary structures as related to animal species and muscle type, 451
sodium alginate plus modified tapioca starch improves properties of low-fat beef patties, 1245
structural changes in cod myosin after modification with formaldehyde or frozen storage, 717
structural changes related to texture of pre-peeled potatoes, 797
structure-mechanical properties of heat-induced whey protein/cassava starch gels, 1048
textural changes and functional properties of cod mince proteins as affected by kidney tissue and cryoprotectants, 299
texture profile of heat-formed gels and cakes prepared with low cholesterol egg yolk, 208
thin film rheology and tribology of chocolate, 767
use of ultrasound to determine cod fillet composition, 500
anisotropy
in tensile properties of mozzarella cheese, 1031
anthocyanin
properties from grape cell culture, 246
antibrowning
color of potatoes as affected by agents, 572
antimicrobial
effects and TBARS in aerobically refrigerated beef as related to microbial growth, 1205
vanillin for producing shelf-stable strawberry puree, 608
antioxidant
catalytic mechanism of lipid oxidation following high pressure treatment in pork fat and meat, 1135
chemical stability of washed beef heart surimi during frozen storage, 939
effects and TBARS in aerobically refrigerated beef as related to microbial growth, 1205
effects of L-carnosine on liposomes and beef homogenates, 931
fluorometric assay for screening activity of vegetables, 526
for preventing color loss in stored paprika, 1017
hydrolytic stability and changes in E vitamers and oryzanol of extruded rice bran during storage, 704
metal-catalyzed oxidation of ascorbate, deoxyribose and linoleic acid as affected by phytic acid in model system, 935
apple
color and cloud stabilization in cloudy juice by steam heating during crushing, 1171
control of decay in MAP using 2-nonanone vapor, 1043
enzymatic browning inhibition in cloudy juice by electrodialysis, 75
haze-active protein and polyphenols in juice assessed by turbidimetry, 79
heat inactivation kinetics of polyphenoloxidase, 508
HPSEC of pectins after hollow fiber UF, 69
water vapor resistance of coated with caseinate-acetylated monoglyceride films, 351
aroma
composition of white wine of Vitis vinifera affected by skin contact, 680
concentration and interactive effects on sorption of liquids and vapors into polypropylene, 355
identification of compounds in grape juice, 249
volatiles in cooked alligator meat, 321
ascorbate
metal-catalyzed oxidation as affected by phytic acid in model system, 935
Aspergillus
lipid fractions of sausage change when lipase is added, 1076
assay
fluorometric for screening antioxidative activity of vegetables, 526
for microbial aminopeptidase, 583
methods for lipoxygenase in sweet corn, 696
assessment
quality of sardines during storage by measurement of fluorescent compounds, 295
astringency
red wine and model wine as affected by malic and lactic acid, 416
atmosphere
color of potatoes as affected by packaging, 572
control of decay in packaged apples using 2-nonanone vapor, 1043
prediction equations for gases in flexible packaging of respiring produce, 926
autolysate
enzymatic production of ribonucleotides from Kluyveromyces marxianus grown on whey, 851
autolysis
in water retention and adenosine nucleotides of cod mince, 1139

B

Bacillus licheniformis
hydrolysis of milk protein by protease, 579
bacteriocin
applied to food packaging materials to inhibit Listeria monocytogenes on meats, 413
barley
extraction and functional properties of B-glucan as affected by temperature and pH, 1194
barrier
properties of rice bran films, 395
bass
dystrophin cleavage and sarcolemma detachment are early post mortem changes on white muscle, 917
beans
green: physicochemical changes in dietary fiber of after repeated microwave treatments, 1006
pinto: processing to improve quality of dehydrated precooked, 141
red kidney: hydration kinetics of, 520
beef
antioxidative/antimicrobial effects and TBARS in aerobically refrigerated as related to microbial growth, 1205
chemical stability of antioxidant-washed heart surimi during frozen storage, 939
dietary influences on milk cis-9,trans-11-conjugated linoleic acid content, 1083
effects of L-carnosine on liposomes and homogenates, 931
fractionation of lactoperoxidase and lactoferrin from whey using cation exchange membrane, 996
heat stability of milk immunoglobulins and ability to bind lactococci as determined by ELISA, 1218
hot-water rinsing and trimming/washing of carcasses to reduce contamination, 373
kinetic and thermodynamic parameters for heat denaturation of milk IgG, IgA, and IgM, 1034
lactate dehydrogenase activity as endpoint heating indicator in cooked, 316
microbiological, sensory and chemical characteristics of treated with Na lactate and Na propionate, 586
microbiological, sensory and chemical characteristics of treated with salts of organic acids, 591
sensory, microbial and chemical characteristics of stored ground containing Na lactate and Na propionate, 429
sodium alginate plus modified tapioca starch improves properties of low-fat patties, 1245
thermal gelation in relation to binding of serum albumin polysaccharide systems, 1129
beverage
aroma composition of white wine of Vitis vinifera affected by skin contact, 680
citrus tissue extracts affect juice cloud stability, 242
color and cloud stabilization in cloudy apple juice by steam heating during crushing, 1171
endogenous mycoflora of gable-top carton paperboard used for packaging fruit juice, 1223
enzymatic browning inhibition in cloudy apple juice by electrodialysis, 75
haze-active protein and polyphenols in apple juice assessed by turbidimetry, 79
HPLC analysis of cabernet sauvignon and noble wine pigment fractions, 684
identification of aroma compounds in grape juice, 249
pectic enzyme treatment effects on quality of grape musts and wines, 1142
red wine and model wine astringency as affected by malic and lactic acid, 416
bilayer
sugar diffusivity in agar gel/milk systems, 454
binding
thermal gelation in relation to BSA polysaccharide systems, 1129
bioavailability
of calcium citrate malate added to microbial phytase-treated hydrothermally cooked soymilk, 1226
of calcium from high oxalate vegetables: Chinese vegetables, sweet potatoes and rhubarb, 524
of calcium in vegetarian diets in rats: potential application in bioregenerative life-support systems, 619
biodegradable
development and characterization of wheat protein films, 160
biopolymer
produced by cross-linking soybean 11S globulin with whey proteins using transglutaminase, 270
bioregeneration
calcium bioavailability of vegetarian diets in rats: potential application in life-support system, 619
biosensor

for detection of Salmonella typhimurium, 1067
blanching
improves textural quality of french fries, 568
modeling low temperature carrot firmness based on heat induced processes and enzyme activity, 213
blending
linear programming in surimi, 561
bloom
fat studied by mercury porosimetry, 781
bologna
pork skin connective tissue gel utilization in reduced-fat, 1176
bonding
in fish protein gels, 713
bone
nutritional value of veal hydrolysate, 183
boning
influence on lamb cooking losses and palatability, 1026
bovine serum albumin
thermal gelation in relation to binding of polysaccharide systems, 1129
bran
hydrolytic stability and changes in E vitamers and oryzanol of extruded rice during storage, 704
mechanical and barrier properties of rice films, 395
optimizing quality of frankfurters containing oat, 194
bread
dielectric properties of system as function of temperature, moisture, salt, and specific volume, 145
garlic effects on dough properties, 1198
method to measure microwave-induced toughness of, 1202
breadmaking
soybean flour lipoxygenase isozymes effects on wheat flour dough, 281
bream
trypsin treatment to improve freeze texturization of minced, 737
breed
composition and stability of goat meat as affected by, 949
Brevibacterium linens
survival after spray drying, freeze drying, or freezing, 167
brine
kinetics of casein degradation during ripening of fynbo cheese salted with NaCl/KCl, 386
broccoli
gas concentrations in MAP bulk vegetables as affected by package orientation and perforation location, 1150
retention of phytochemicals in, 1098
browning
inhibition in cloudy apple juice by electrodialysis, 75
kinetic properties of catechin oxidation by basic peroxidase isoenzyme from strawberries, 676
modeling the contribution of sugars, ascorbic acid, chlorogenic acid and amino acids to non-enzymatic of potato chips, 1001
phenoloxidases in Portabella mushrooms, 97
structural changes of pre-peeled potatoes, 797
susceptibility during storage of carambola, 256
bubbling
foaming properties of egg albumen with apparatus, 377
Byssochlamys
fulva: heat resistance of isolated from canned tomato paste, 410
nivea: heat resistance of isolated from canned tomato paste, 410

C

cabbage
antibacterial activity of heated juice, 406
S hadar on influenced by storage abuse, 616
Cabernet sauvignon
HPLC analysis of pigment fractions, 684
cake
texture profile analysis of heat-formed prepared with low cholesterol egg yolk, 208
calcium
bioavailability from high oxalate vegetables: chinese vegetables, sweet potatoes and rhubarb, 524
bioavailability of citrate malate added to microbial phytase-treated hydrothermally cooked soymilk, 1226
bioavailability of vegetarian diets in rats: potential application in bioregenerative life-support system, 619
fermentation and properties of fortified soy milk yogurt, 457
formulation and processing of fortified soy milk, 535
gelling temperature of gellan solutions containing ions, 276
pretreatment affects texture, pectinesterase and pectic substances of frozen sweet cherries, 511
protein and salt effects on induced cold gelation of whey protein isolate, 382
canning
inverse superposition for calculating food product temperatures during in-container thermal processing, 219
canola
extraction conditions and moisture content of flakes as related to lipid composition of supercritical CO_2 extracts, 155
cap
optimum measure of color of Agaricus bisporus, 1054
carambola
browning susceptibility and changes in composition during storage, 256
carbon
patulin adsorption kinetics on activated, 128
carbon dioxide
extraction conditions and moisture content of canola flakes as related to lipid composition of supercritical extracts, 155
extraction of oil and residual proteins from mackerel affected by moisture, 289
pecan oil recovery and composition as affected by temperature, pressure, and supercritical flow rate, 762
carnosine
effect on liposomes and beef homogenates, 931
carotene
comparison of spray-drying, drum-drying and freeze-drying for encapsulation and preservation, 1158
oxymyoglobin and lipid oxidation in phosphatidylcholine liposomes retarded by, 1095
carotenoid
natural antioxidants for preventing color loss in stored paprika, 1017
carrageenan
effects on salt-soluble meat proteins in model systems, 539
effects on thermal stability of meat proteins, 544
freeze/thaw stability of cooked pork sausages as affected by, 551
quality characteristics of ham formulated with modified corn starch and, 198
carrot
high pressure freezing effects on textural quality of, 804
histological changes in high pressure frozen, 809
hygroscopic coatings control surface white discoloration during storage, 363
low frequency ultrasonics for texture measurement in cooked, 1167
modeling low temperature blanched firmness based on heat induced processes and enzyme activity, 213
pectic substance degradation and texture as affected by pressurization, 359
carton
endogenous mycoflora of gable-top paperboard used for packaging fruit juice, 1223
casein
debittering hydrolysates with octadecylsiloxane columns, 665
function and immunological properties of hydrolysate produced from two-stage membrane system, 480
kinetics of degradation during ripening of fynbo cheese salted with NaCl/KCl brine, 386
physical factors related to C18 adsorption columns for debittering protein hydrolysates, 946
preparation of films by modified wet spinning, 744
caseinate
water vapor resistance of apples and celery coated with monoglyceride films, 351
cassava
structure-mechanical properties of whey starch gels, 1048
catalatic activity
fat and water composition affects chicken heated to specific end-point temperatures, 66
catalysis
mechanism of lipid oxidation following high pressure treatment in pork fat and meat, 1135
catalytic
activities of enzyme fractions from sardines, 976
catechin
kinetic properties of oxidation by basic peroxidase isoenzyme from strawberries, 676
catfish
retention of oxytetracycline residues in fillets, 119
shelflife and C botulinum toxin development during storage of, 878
cathepsin
mackerel effects on thermal degradation of surimi, 310
cation
fractionation of lactoperoxidase and lactoferrin from bovine whey using an exchange membrane, 996
gelling properties of gellan solutions containing monovalent and divalent, 688
moderate pectinesterase activity, 253
viscoelastic properties of xanthan gels interacting with, 1124
cauliflower
physical and sensory properties of model foods supplemented with fiber, 635
celery
water vapor resistance of coated with caseinate-acetylated monoglyceride films, 351
cell wall
characteristics of pasteurized Jalapeno pepper rings as affected by preheating and storage, 89
cheese
cheddar: accumulation of flavor compounds in full and reduced fat under

different ripening conditions, 468, high pressure treatment of milk and effects on microbiological and sensory quality of, 843, NIR reflectance spectroscopy for rapid analysis of curds during making of, 53, rheology of full-fat and low-fat as related to type of fat mimetic, 748
fynbo: kinetics of casein degradation during ripening of, 386
Mozzarella: anisotropy in tensile properties of, 1031
chemical treatment
chemically induced covalent crosslinks affect thermo-rheological profiles of fish protein gels, 29
gelatin from cod skins as affected by, 37
chemometrics
soy sauce classification by geographic region based on pattern recognition, 101
cherries
thermal and calcium pretreatment affects texture, pectinesterase and pectic substances of frozen sweet, 511
chick peas
non-starch polysaccharides and starch digestibility of raw and cooked, 93
chicken
evaluating previous thermal treatment of patties by visible/NIR spectroscopy, 753
fat and water composition affects residual catalatic activity in, 66
heat-induced gelation of surimi from, 326
interaction of commercial dairy proteins and breast myosin, 967
optimizing acceptability of nuggets containing cowpea and peanut flours, 889
physical and biochemical effects of broiler breast tenderization by aging after pre-rigor deboning, 959
pre-chill spray of carcasses to reduce S typhimurium, 605
reduction of Salmonella contamination on egg shells by peroxidase-catalyzed sanitizer, 873
sensory descriptive profile relationships to shear values of deboned, 885
Chinese vegetables
calcium bioavailability from high oxalate, 524
chocolate
structure studied by mercury porosimetry, 781
tempering in scraped surface heat exchanger, 773
thin film rheology and tribology of, 767
cholesterol
oxidation in milk powder during processing and storage, 331
texture profile analysis of heat-formed gels and cakes prepared with egg yolk low in, 208
chromatography
gas: aroma composition of white wine of Vitis vinifera affected by skin contact, 680
high performance size-exclusion: of citrus and apple pectins after hollow fiber UF, 69
HPL: analysis of cabernet sauvignon and noble wine pigment fractions, 684
physical factors related to C18 adsorption columns for debittering protein hydrolysates, 946
citrate
bioavailability of calcium malate added to microbial phytase-treated hydrothermally cooked soymilk, 1226
citrus
HPSEC of pectins after hollow fiber UF, 69
tissue extracts affect juice cloud stability, 242
classification
color and firmness of fresh market tomatoes, 793
cleavage
of dystrophin is early post mortem change in bass muscle, 917
Clostridium botulinum
toxin development during storage of MAP catfish fillets, 878
cloud
citrus tissue extracts affects juice stability, 242
stabilization in cloudy apple juice by steam heating during crushing, 1171
coagulation
yield and textural properties of tofu affected by method of, 824
coating
control surface white discoloration of peeled carrots during storage, 363
reduction of fluid loss from grapefruit segments with wax microemulsion, 789
cod
bacterial and autolytic changes in water retention and adenosine nucleotides of mince, 1139
gelatin from skins as affected by chemical treatments, 37
structural changes in myosin after modification with formaldehyde or frozen storage, 717
textural changes and functional properties of mince proteins as affected by kidney tissue and cryoprotectants, 299
ultrasound to determine fillet composition, 500
water uptake, protein solubility, and protein changes of mince stored on ice as affected by polyphosphates, 305
collapse
residual moisture content as related to freeze-dried sugar matrices, 693
color
modeling the contribution of sugars, ascorbic acid, chlorogenic acid and amino acids to non-enzymatic browning of potato chips, 1001
natural antioxidants for preventing loss in stored paprika, 1017
of fresh market tomatoes, 793
of horse mackerel as related to washing conditions, 985
of minimally processed potatoes as affected by MAP and antibrowning agents, 572
optimum measure of Agaricus bisporus, 1054
properties of anthocyanins from grape cell culture, 246
stabilization in cloudy apple juice by steam heating during crushing, 1171
column
debittering casein hydrolysates with octadecyl-siloxane, 665
physical factors related to C18 adsorption for debittering protein hydrolysates, 946
compression test
standardized failure of protein gels from a collaborative study, 1163
conditioning
influence on lamb cooking losses and palatability, 1026
conduction
kinetic parameter estimation in heating foods subjected to dynamic thermal treatments, 529
connectin
skeletal muscle primary structures as related to animal species and muscle type, 451
connective tissue
pork skin gel utilization in reduced-fat bologna, 1176
container
inverse superposition for calculating food product temperatures during thermal processing, 219
contamination
hot-water rinsing and trimming/washing of beef carcasses to reduce physical and microbiological, 373
reduction of Salmonella on egg shells by peroxidase-catalyzed sanitizer, 873
control
of decay in MAP of apples using 2-nonanone vapor, 1043
convection
dehydrofreezing for drying kiwifruit, 1039
cooking
bioavailability of calcium citrate malate added to microbial phytase-treated soymilk, 1226
corn alkaline properties related to grain characteristics and viscosity, 516
hot-boning, elevated temperature conditioning, and vacuum packaged aging influences on lamb, 1026
of pork crumbles as affected by potato starch, crumble diameter and fat content, 203
production of restructured meat using microbial transglutaminase without, 488
cooling
microwave thawing of frozen foods using surface, 150
copolymer
vapor pressure of allyl isothiocyanate and its transport in PVDC/PVC packaging film, 1061
corn
alkaline cooking properties related to grain characteristics and viscosity, 516
methods for lipoxygenase assay in sweet, 696
sensory and physical characteristics of reduced-fat turkey frankfurters with modified starch and water, 1240
corn starch
quality characteristics of ham formulated with, 198
cottage cheese
partial deacidification and demineralization of whey by nanofiltration, 338
covalent
chemically induced crosslinks affect thermo-rheological profiles of fish protein gels, 29
covalent
cross-linking effects on thermo-rheological profiles of fish protein gels, 25
cowpea
optimizing acceptability of chicken nuggets containing fermented flour, 889
crack
sensitivity analysis for formation in cylindrical food during drying, 447
crackers
measuring texture with multiple-point sheet sensor, 922
cream
fat content and effect on globule stability, 992
critical review
explicit finite difference methods for heat transfer simulation and thermal process design, 230
fractional conversion for determining texture degradation kinetics of vegetables, 1
reassessment of fruit and vegetable pectin levels, 225
cross-linking
affect thermo-rheological profiles of fish protein gels, 29
biopolymers produced by soybean 11S globulin and whey proteins using transglutaminase, 270
covalent bonding in pressure-induced fish

protein gels, 713
effects on thermo-rheological profiles of fish protein gels, 25
crumbles
cooking and sensory properties of pork affected by diameter of, 203
crushing
color and cloud stabilization in cloudy apple juice by steam heating during, 1171
cryoprotectant
textural changes and functional properties of cod mince proteins as affected by kidney tissue and, 299
crystallization
tempering of chocolate in scraped surface heat exchanger, 773
thermal stability of invertase in reduced-moisture amorphous matrices in relation to glassy state and trehalose, 105
culture
filtrates from fermented rice product and effects on milk curd firmness, 1080
lipid fractions of sausage change with addition of starter, 1076
properties of anthocyanins from grape cell, 246
used for fermentation of salmon, 1214
curcumin
kinetics of alkaline degradation of, 267
curcuminoid
kinetics of alkaline degradation of, 267
curd
culture filtrates from a fermented rice product (lao-chao) and their effects on milk firmness, 1080
NIR reflectance spectroscopy for rapid analysis of during cheddar cheese making, 53
syneresis in rennet without mechanical treatment, 907
curing
aminopeptidase activities from Lactobacillus sake in models of, 1211
non-volatile components effects on quality of serrano ham related to processing time, 1235
of whey protein films, 1189
cyclodextrin
complexed flavors retention in extruded starches, 1057
cylindrical food
sensitivity analysis for hygrostress crack formation in, 447
cysteine
antibacterial activity of S-methyl-L-sulfoxide, 406

D

dairy
interaction of proteins and chicken breast myosin in emulsion, 967
deacidification
of cottage cheese whey by nanofiltration, 338
debittering
casein hydrolysates with octadecyl-siloxane columns, 665
physical factors related to C18 adsorption columns for protein hydrolysates, 946
deboning
physical and biochemical effects of broiler breast tenderization by aging after pre-rigor, 959
sensory descriptive profile relationships to shear values of poultry, 885
decay
high pressure washing to remove tissue and improve quality of peach puree, 131
in MAP of apples using 2-nonanone vapor, 1043
degradation
fractional conversion for determining texture kinetics of vegetables, 1
kinetics of casein during ripening of fynbo cheese, 386
kinetics of curcumin and curcuminoids, 267
kinetics of myosin heavy chain of whiting surimi, 724
mackerel cathepsins B and L effects on surimi, 310
pectic substance of carrots affected by pressurization, 359
dehydrofreezing
for drying kiwifruit, 1039
demineralization
of cottage cheese whey by nanofiltration, 338
denaturation
kinetic and thermodynamic parameters for heating of bovine milk IgG, IgA, and IgM, 1034
deoxyribose
metal-catalyzed oxidation as affected by phytic acid in model system, 935
design
explicit finite difference method for heat transfer simulation and thermal process, 230
surimi-starch interactions based on mixture, 555
detachment
of sarcolemma is early post mortem change in bass muscle, 917
detection
of Vibrio vulnificus in octopus by PCR, 179
piezoelectric biosensor for Salmonella typhimurium, 1067
diameter
cooking and sensory properties of pork crumbles affected by, 203
dielectric
properties of pregelatinized bread system at 2450 MHZ as function of temperature, moisture, salt and specific volume, 145
diet
calcium bioavailability of vegetarian in rats, 619
composition and stability of goat meat as affected by, 949
influences on bovine milk cis-9,trans-11-conjugated linoleic acid content, 1083
physicochemical changes in fiber of green beans after repeated microwave treatments, 1006
vitamin E affects lipid oxidation and volatiles of irradiated turkey, 954
diffusivity
of sugar in agar gel/milk bilayer systems, 454
digestibility
of polysaccharides and starch in raw and cooked chick peas, 93
discoloration
hygroscopic coatings control peeled carrots during storage, 363
disinfection
of rice seeds prior to sprouting, 611
disk
guide to submission of JFS manuscripts on, 632
disproportionation
rheological method for kinetics of soy protein foams, 1105
distribution
residence time of particles during two-phase non-newtonian flow in conventional as compared with helical holding tubes, 647
dough
garlic effects on properties, 1198
soybean flour lipoxygenase isozymes effects on wheat flour rheological and breadmaking properties, 281
drainage
rheological method for kinetics of soy protein foams, 1105
drum-drying
for carotene encapsulation and preservation, 1158
drying
comparison of spray-, drum-, and freeze-for carotene encapsulation and preservation, 1158
mathematical modeling of fruits and vegetables, 1154
osmotic-convective dehydrofreezing process for kiwifruit, 1039
sensitivity analysis for hygrostress crack formation in cylindrical food during, 447
survival of Brevibacterium linens after spray, 167
dystrophin
cleavage is early post mortem change in bass muscle, 917

E

edible
development and characterization of wheat protein films, 160
egg
composition, solubility and emulsifying properties of granules and plasma of yolk, 484
foaming properties of albumen with bubbling apparatus compared with whipping, 377
gelation of proteins as affected by combined heating and freezing, 963
microstructure of yolk by improved method, 757
reduction of Salmonella contamination on shells by peroxidase-catalyzed sanitizer, 873
texture profile analysis of heat-formed gels and cakes prepared with low cholesterol yolk, 208
viscoelasticity of frozen/thawed yolk, 548
electric field
destruction and inhibition of bacterial spores by high voltage pulsed, 399
electrodialysis
enzymatic browning inhibition in cloudy apple juice by, 75
electron
effects on sterility and viscosity of grains, 858
ELISA
heat stability of bovine milk immunoglobulins and ability to bind lactococci as determined by, 1218
emulsification
of proteins after enzymic fat hydrolysis, 48
properties of soy protein isolates modified by pancreatin, 1110
xanthan gum effects on properties of soy protein isolate, 1101
emulsion
interaction of commercial dairy proteins and chicken breast myosin in, 967
mathematical models of flavor release from liquid, 653
physical properties of whey protein as related to pH and NaCl, 342
physicochemical properties of whey protein-stabilized, 462
properties of granules and plasma of egg yolk, 484
whey protein film performance affected by lipid type and amount, 390
encapsulation
comparison of spray-drying, drum-drying and freeze-drying for carotene, 1158
endpoint
lactate dehydrogenase activity as heating indicator in cooked beef, 316
energy
patulin adsorption kinetics on activated

carbon, 128
enzyme
aminopeptidase activities from Lactobacillus sake in models of curing ingredients and processing conditions for dry sausage, 1211
assay for microbial aminopeptidase, 583
bioavailability of calcium citrate malate added to microbial phytase-treated hydrothermally cooked soymilk, 1226
biopolymers produced by cross-linking soybean 11S globulin with whey proteins using transglutaminase, 270
browning inhibition in cloudy apple juice by electrodialysis, 75
catalytic activities of fractions from sardines, 976
fractionation of lactoperoxidase and lactoferrin from bovine whey using a cation exchange membrane, 996
glucose isomerase use in mirin production, 237
heat inactivation kinetics of apple polyphenoloxidase and activation of its latent form, 508
high pressure and temperature effects on inactivation in strawberry and orange products, 85
hydrolysis of milk protein by Bacillus licheniformis protease specific for acidic amino acid residues, 579
improved emulsifying and foaming of whey proteins after fat hydrolysis, 48
inorganic cations and polyamines moderate pectinesterase activity, 253
kinetic properties of catechin oxidation by basic peroxidase isoenzyme from strawberries, 676
lactate dehydrogenase activity as endpoint heating indicator in cooked beef, 316
lipid fractions of fermented sausages change when starter culture and/or Aspergillus lipase are added, 1076
methods for lipoxygenase assay in sweet corn, 696
modeling low temperature blanched carrot firmness based on activity, 213
pectic treatment effects on quality of grape musts and wines, 1142
phenoloxidases in Portabella mushrooms, 97
polyamines affect activity of aminopeptidases from Lactobacillus sake, 870
production of restructured meat using microbial transglutaminase without salt or cooking, 488
production of ribonucleotides from autolysates of Kluyveromyces marxianus grown on whey, 851
reduction of Salmonella contamination on chicken egg shells by peroxidase-catalyzed sanitizer, 873
solubility and emulsifying properties of soy protein isolates modified by pancreatin, 1110
soybean flour lipoxygenase isozymes effects on wheat flour dough rheological and breadmaking properties, 281
temperature sensitivity and pressure resistance of mushroom polyphenoloxidase, 261
thermal and calcium pretreatment affects texture, pectinesterase and pectic substances of frozen sweet cherries, 511
thermal stability of invertase in reduced-moisture amorphous matrices in relation to glassy state and trehalose crystallization, 105
transglutaminase effects on low temperature gelation of fish protein sols, 20
trypsin treatment to improve freeze texturization of minced bream, 737
equations
for gases in flexible MAP of respiring produce, 926
Equivalent Point Method
for kinetic parameter estimation from dynamic thermal treatments, 8
Escherichia coli O157:H7
thermal inactivation in cooked turkey products, 875
estimation
of kinetic parameters in conduction heating foods subjected to dynamic thermal treatments, 529
exopolysaccharide
production from lactic acid bacteria isolated from fermented foods, 597
production from whey lactose by fermentation with Lactobacillus delbrueckii ssp. bulgaricus, 171
explicit finite difference
method for heat transfer simulation and thermal process design, 230
extract
citrus tissue affects juice cloud stability, 242
extraction conditions and moisture content of canola flakes as related to lipid composition of supercritical CO_2, 155
lactic fermentation of media containing high concentrations of yeast, 1072
extraction
conditions of canola flakes as related to lipid composition of supercritical CO_2 extracts, 155
of barley B-glucan as affected by temperature and pH, 1194
of oil and residual proteins from mackerel affected by moisture, 289
extrudate
measurement of temperature and heat loss on twin-screw extruder, 367
of starch xanthan gum mixtures affected by chemical agents and irradiation, 816
rheological properties including tensile fracture stress of semolina influenced by moisture, 813
extruder
measurement of temperature and heat loss on twin-screw, 367
extrusion
cyclodextrin flavor retention in starches, 1057
hydrolytic stability and changes in E vitamers and oryzanol of rice bran during storage, 704

F

fat
accumulation of flavor compounds in full and reduced cheddar cheese under different ripening conditions, 468
bloom studied by mercury porosimetry, 781
catalytic mechanism of lipid oxidation following high pressure treatment in pork, 1135
components of added ingredients affect flavor qualities of tomato soups, 190
composition affects residual catalatic activity in chicken heated to specific end-point temperatures, 66
content of milk and cream and effects on globule stability, 992
cooking and sensory properties of pork crumbles affected by content, 203
dietary influences on bovine milk cis-9,trans-11-conjugated linoleic acid content, 1083
effect on sensory properties on ice cream, 1087
extraction conditions and moisture content of canola flakes as related to lipid composition of supercritical CO_2 extracts, 155
fractal analysis and crust water diffusivity of restructured potato product during frying, 135
improved emulsifying and foaming of whey proteins after enzymic hydrolysis, 48
non-destructive determination of fat and moisture in salmon by NIR spectroscopy, 734
optimizing quality of frankfurters containing oat bran and added water, 194
pork skin connective tissue gel utilization in bologna, 1176
rheology of cheddar cheeses as related to type of mimetic, 748
sensory and physical characteristics of turkey frankfurters with modified corn starch and water, 1240
sodium alginate plus modified tapioca starch improves properties of beef patties, 1245
feeding
composition and stability of goat meat patties as affected by breed type and regimen, 949
fermentation
enzymatic production of ribonucleotides from autolysates of Kluyveromyces marxianus grown on whey, 851
exopolysaccharide production from lactic acid bacteria isolated from food, 597
exopolysaccharide production from whey lactose with Lactobacillus delbrueckii ssp. bulgaricus, 171
lipid fractions of sausages change when starter culture and/or Aspergillus lipase are added, 1076
of calcium-fortified soy milk yogurt, 457
of media containing high concentrations of yeast extracts, 1072
optimizing acceptability of chicken nuggets containing cowpea and peanut flours, 889
starter cultures used for salmon, 1214
fiber
HPSEC with component analysis of citrus and apple pectins after hollow UF, 69
physical and sensory properties of model foods supplemented with cauliflower, 635
physicochemical changes in green beans after repeated microwave treatments, 1006
film
development and characterization of biodegradable/edible wheat protein, 160
heat curing of whey protein, 1189
mechanical and barrier properties of rice bran, 395
morphology and tribology study of mayonnaise, 640
preparation of casein by modified wet spinning, 744
rheology and tribology of chocolate, 767
vapor pressure of allyl isothiocyanate and its transport in PVDC/PVC copolymer packaging, 1061
water vapor resistance of apples and celery coated with caseinate-acetylated monoglyceride, 351
whey protein emulsion performance affected by lipid, 390
filtrate
from fermented rice product and effects on milk curd firmness, 1080
firmness
culture filtrates from a fermented rice product (lao-chao) and their effects on milk curd, 1080
modeling low temperature blanched carrot based on heat induced processes and enzyme activity, 213
of fresh market tomatoes, 793
of pasteurized Jalapeno pepper rings as affected by preheating and storage, 89

fish
covalent bonding in pressure-induced protein gels, 713
flavor
accumulation of compounds in full and reduced fat cheddar cheese under different ripening conditions, 468
aroma volatiles in cooked alligator meat, 321
cyclodextrin retention in extruded starches, 1057
fat, protein, and mineral components of added ingredients affect quality of tomato soup, 190
mathematical models of release from liquid emulsions, 653
microfiltration and reverse osmosis affect recovery of mango puree, 1116
non-volatile components effects on quality of serrano dry-cured ham related to processing time, 1235
flour
chemical, physical and sensory attributes with added soy, 622
optimizing acceptability of chicken nuggets containing fermented cowpea and peanut, 889
soybean lipoxygenase isozymes effects on wheat dough rheological and breadmaking properties, 281
flow
pecan oil recovery and composition as affected by temperature, pressure, and supercritical CO_2 rate, 762
residence time distribution of particles during two-phase non-newtonian in conventional as compared with helical holding tubes, 647
fluid
reduction of loss from grapefruit with microemulsion wax coatings, 789
residence time distribution of particles during two-phase non-newtonian flow in conventional as compared with helical holding tubes, 647
fluorescein
estimation of spoilage bacterial load by diacetate hydrolysis or resazurin reduction, 601
fluorescent
quality assessment of sardines during storage by measurement of compounds, 295
fluorometer
assay for screening antioxidative activity of vegetables, 526
foams/foaming
method for determining properties of protein, 1028
modified soy proteins with improved properties, 821
of egg albumen with bubbling apparatus compared with whipping, 377
of proteins after enzymic fat hydrolysis, 48
rheological method for kinetics of drainage and disproportionation of soy protein, 1105
food safety
disinfection of rice seeds prior to sprouting, 611
formaldehyde
structural changes in cod myosin after modification with, 717
formulation
of heat stable calcium-fortified soy milk, 535
fractal analysis
of restructured potato product during deep-fat frying, 135
fractional conversion
for determining texture degradation kinetics of vegetables, 1
fractionation
of lactoperoxidase and lactoferrin from bovine whey using cation exchange membrane, 996
fracture
rheological properties including tensile stress of semolina extrudates, 813
frankfurters
optimizing quality of containing oat bran and added water, 194
sensory and physical characteristics of reduced-fat turkey with modified corn starch and water, 1240
soy tofu powder effects on, 434
thermal inactivation of E coli in cooked turkey products, 875
freeze-drying
for carotene encapsulation and preservation, 1158
of lactic acid bacteria, 576
residual moisture content as related to collapse of sugar matrices, 693
survival of Brevibacterium linens after, 167
freeze-thaw
physicochemical changes in prawns subjected to multiple cycles, 123
freezing
biochemical and physicochemical properties of actomyosin from pre-and post-spawned hake, 491
chemical stability of antioxidant-washed beef heart surimi during storage, 939
effects on textural quality of carrots, 804
gelation of egg white as affected by, 963
histological changes in carrots, 809
microwave thawing of foods using feedback temperature control and surface cooling, 150
of lactic acid bacteria, 576
stability of pork sausage as affected by salt, phosphate, pH and carrageenan, 551
structural and textural changes in kinu-tofu due to high pressure, 828
structural changes in cod myosin after modification with formaldehyde or storage, 717
survival of Brevibacterium linens after, 167
textural and microstructural changes in sardine gels, 838
thermal and calcium pretreatment affects texture, pectinesterase and pectic substances of sweet cherries, 511
trypsin treatment to improve texturization of minced bream, 737
viscoelasticity of thawed egg yolk, 548
French fries
low temperature blanch improves textural quality of, 568
frequency
low ultrasonics for measurement in cooked carrots, 1167
fries
amylose and protein contents of rice cultivars as related to texture of rice-based, 701
fructose
fractal analysis and crust water diffusivity of a restructured potato product during deep-fat frying, 135
fruit
endogenous mycoflora of gable-top carton paperboard used for packaging juice, 1223
mathematical modeling of convective drying of, 1154
reassessment of pectin levels, 225
frying
fractal analysis and crust water diffusivity of restructured potato product during, 135
furaneol
identification in grape juice, 249

G

garlic
chemical characteristics and storage stability of pickled, 1120
effects on dough properties, 1198
gas
concentrations in MAP bulk vegetables as affected by package orientation and perforation location, 1150
prediction equations in flexible MAP of respiring produce, 926
gelatin
from cod skins as affected by chemical treatments, 37
gelation
in relation to binding of BSA polysaccharide systems, 1129
interactive effects of factors affecting whey proteins, 57
of egg white proteins as affected by combined heating and freezing, 963
properties of hydrolyzed sunflower proteins, 284
properties of surimi from mechanically separated chicken, 326
protein and salt effects on calcium induced, 382
transglutaminase effects on fish sols, 20
gellan
gelling properties of solutions containing monovalent and divalent cations, 688
gelling temperature solutions containing calcium ions, 276
gelling
properties of gellan solutions containing monovalent and divalent cations, 688
temperature of gellan solutions containing calcium ions, 276
gels
acid milk formation as affected by total solids content, 671
chemically induced covalent crosslinks affect thermo-rheological profiles of fish protein, 29
covalent bonding in pressure-induced fish protein, 713
covalent cross-linking effects on thermo-rheological profiles of fish protein, 25
forming properties of horse mackerel as related to washing conditions, 985
high pressure induced of sardine affected by pressure-time-temperature, 1183
immunodiffusion test for identification of pollock surimi in raw meat products, 972
pork skin connective tissue utilization in reduced-fat bologna, 1176
properties of surimi from various fish species as affected by moisture content, 33
standardized failure compression test of protein from a collaborative study, 1163
structure-mechanical properties of heat-induced whey protein/cassava starch, 1048
sugar diffusivity in agar bilayer systems, 454
textural and microstructural changes in frozen stored sardine mince, 838
texture profile analysis of heat-formed prepared with low cholesterol egg yolk, 208
viscoelastic properties of xanthan interacting with cations, 1124
geographic region
soy sauce classification based on NIR spectra and chemometrics pattern recognition, 101
glass transition
of tuna at low temperature and effects of salt and moisture, 496
residual moisture content as related to collapse of freeze-dried sugar matrices, 693

glassy state
thermal stability of invertase in reduced-moisture amorphous matrices in relation to, 105
globule
fat content of milk and cream and effects on stability, 992
globulin
biopolymers produced by cross-linking soybean with whey proteins using transglutaminase, 270
glucan
extraction and functional properties of barley as affected by temperature and pH, 1194
glucose
isomerase use in mirin production, 237
goat
composition and stability affected by breed type and feeding regimen, 949
grain
corn alkaline cooking properties related to characteristics of, 516
low-energy electron effects on sterility and viscosity of, 858
granules
composition, solubility and emulsifying properties of egg yolk, 484
grape
identification of aroma compounds in juice, 249
pectic enzyme treatment effects on quality of musts and wines, 1142
properties of anthocyanins from cell culture, 246
grapefruit
reduction of fluid loss from with micro-emulsion wax coatings, 789
growth
antioxidative/antimicrobial effects and TBARS in aerobically refrigerated beef as related to microbial, 1205
inhibition of L monocytogenes by Na polyphosphate affected by polyvalent metal ions, 861
of S aureus related to NMR water mobility and water activity, 861
guide
to submission of JFS manuscripts on disk, 632
Gulf of Mexico
sensory and chemical characteristics of herring, 626
gum
extrudates of starch xanthan mixtures affected by chemical agents and irradiation, 816
xanthan effects on solubility and emulsification properties of soy protein isolate, 1101

H

hake
biochemical and physicochemical properties of actomyosin from frozen pre-and post-spawned, 491
ham
non-volatile components effects on quality of serrano dry-cured related to processing time, 1235
quality characteristics of formulated with corn starch and K-carrageenan, 198
thermal inactivation of E coli in cooked turkey products, 875
handling
sensory and chemical changes in spice salted herring affected by, 894
stress and storage temperature affect meat quality of salmon, 898
haze
active protein and polyphenols in apple juice assessed by turbidimetry, 79
heart
chemical stability of antioxidant-washed beef surimi during frozen storage, 939
heat
measurement of temperature and loss on twin-screw extruder, 367
heat exchanger
tempering of chocolate in scraped surface, 773
heat transfer
explicit finite difference for simulation of, 230
heating
antibacterial activity of cabbage juice, 406
carrageenan effects on thermal stability of meat proteins, 544
chemically induced covalent crosslinks affect thermo-rheological profiles of fish protein gels, 29
color and cloud stabilization in cloudy apple juice by, 1171
covalent cross-linking effects on thermo-rheological profiles of fish protein gels, 25
curing of whey protein films, 1189
evaluating chicken patties by visible/NIR spectroscopy, 753
formulation and processing of stable calcium-fortified soy milk, 535
gelation of egg white as affected by, 963
gelation properties of surimi from mechanically separated chicken, 326
inactivation kinetics of apple polyphenoloxidase, 508
inactivation of E coli in cooked turkey products, 875
inverse superposition for calculating food product temperatures during in-container thermal processing, 219
iterative method for kinetic parameter estimation from dynamic thermal treatments, 8
kinetic and thermodynamic parameters for denaturation of bovine milk IgG, IgA and IgM, 1034
kinetic parameter estimation in conduction foods subjected to dynamic thermal treatments, 529
lactate dehydrogenase activity as endpoint indicator in cooked beef, 316
mackerel cathepsins B and L effects on thermal degradation of surimi, 310
modeling low temperature blanched carrot firmness based on, 213
physicochemical properties of whey protein-stabilized emulsions affected by, 462
resistance of Byssochlamys nivea, Byssochlamys fulva and Neosartorya fischeri isolated from canned tomato paste, 410
stability of bovine milk immunoglobulins and ability to bind lactococci as determined by ELISA, 1218
structure-mechanical properties of whey protein/cassava starch gels, 1048
thermal and calcium pretreatment affects texture, pectinesterase and pectic substances of frozen sweet cherries, 511
thermal stability of invertase in reduced-moisture amorphous matrices in relation to glassy state and trehalose crystallization, 105
heavy chain
degradation kinetics of myosin of whiting surimi, 724
herring
sensory and chemical changes in spice salted affected by handling, 894
sensory and chemical characteristics of Gulf of Mexico species, 626
heterocyclics
kinetics of formation of amines in meat model systems, 911
histology
changes in high pressure frozen carrots, 809
holding tube
residence time distribution of particles during two-phase non-newtonian flow in conventional as compared with helical, 647
homogenates
effect of L-carnosine on liposomes and beef, 931
hydration
kinetics of red kidney beans, 520
modified soy proteins with foaming and water properties, 821
hydrolysate
debittering casein with octadecyl-siloxane columns, 665
functional and immunological properties of casein produced from a two-stage membrane system, 480
nutritional value of veal bone, 183
physical factors related to C18 adsorption columns for debittering protein, 946
hydrolysis
estimation of spoilage bacterial load on meat by fluorescein diacetate, 601
factors affecting gelation properties of sunflower proteins, 284
improved emulsifying and foaming of whey proteins after enzymic fat, 48
of milk protein by B licheniformis protease specific for acidic amino acid residues, 579
hydrostatic
inhibition of Saccharomyces cerevisiae by pressure, 404
hygroscopic
coatings control surface white discoloration of peeled carrots during storage, 363
hygrostress
sensitivity analysis for crack formation in cylindrical food during drying, 447
hypothesis paper
dystrophin cleavage and sarcolemma detachment are early post mortem changes on bass white muscle, 917
free-volume changes in flexible, hermetic packages containing respiring produce, 659
inverse superposition for calculating food product temperatures during in-container thermal processing, 219
iterative method for kinetic parameter estimation from dynamic thermal treatments, 8
kinetics of formation of polar heterocyclic amines in meat model system, 911
mathematical models of flavor release from liquid emulsions, 653
measuring texture of crackers with multiple-point sheet sensor, 922
mechanisms of syneresis in rennet curd without mechanical treatment, 907
modeling low temperature blanched carrot firmness based on heat induced processes and enzyme activity, 213
oxymyoglobin and lipid oxidation in phosphatidylcholine liposomes retarded by tocopherol and B-carotene, 1095
physical and sensory properties of model foods supplemented with cauliflower fiber, 635
prediction equations for gases in flexible MAP of respiring produce are different than those for rigid packages, 926
rapid species identification of cooked red snapper using IEF, 15
residence time distribution of particles during two-phase non-newtonian flow in conventional as compared with helical holding tubes, 647
rigor mortis assessment of salmon and effects of stress, 439
sensitivity analysis for hygrostress crack

formation in cylindrical food during drying, 447
skeletal muscle connectin primary structures as related to animal species and muscle type, 451
thin film morphology and tribology study of mayonnaise, 640

I

ice
muscle high-energy phosphates and stress affect K-values during storage of salmon on, 43
water uptake, protein solubility, and protein changes of cod mince stored on, 305
ice cream
sugar and fat effects on sensory properties of, 1087
identification
agar-gel immunodiffusion test of pollock surimi in raw meat products, 972
of cooked red snapper using IEF, 15
IgA
kinetic and thermodynamic parameters for heat denaturation of bovine milk, 1034
IgG
kinetic and thermodynamic parameters for heat denaturation of bovine milk, 1034
IgM
kinetic and thermodynamic parameters for heat denaturation of bovine milk, 1034
immunodiffusion
test for identification of pollock surimi in raw meat products, 972
immunoglobulin
heat stability of bovine milk and ability to bind lactococci as determined by ELISA, 1218
immunology
properties of casein hydrolysate produced from two-stage membrane system, 480
inactivation
heat kinetics of apple polyphenoloxidase, 508
high hydrostatic pressure as hurdle for Zygosaccharomyces bailii, 855
of E coli in cooked turkey products, 875
of Lactobacillus plantarum by pulsed-microwave irradiation, 163
pressure and temperature effects on enzymes in strawberry and orange products, 85
indicator
lactate dehydrogenase activity as endpoint heating, 316
inhibition
of bacterial spores by high voltage pulsed electric field, 399
of browning in apple juice by electrodialysis, 75
of L monocytogenes by Na polyphosphate affected by polyvalent metal ions, 861
of Saccharomyces cerevisiae by combination of hydrostatic pressure and monoterpenes, 404
interaction
effects on sorption of aroma liquids and vapors into polypropylene, 355
of surimi and starch based on mixture design and regression models, 555
inverse superposition
for calculating food product temperatures during in-container thermal processing, 219
invertase
thermal stability in amorphous matrices in relation to glassy state and trehalose crystallization, 105
ionic strength
physicochemical properties of whey protein-stabilized emulsions affected by, 462
ions
growth inhibition of L monocytogenes by Na polyphosphate affected by polyvalent metal, 861
irradiation
dietary vitamin E affects lipid oxidation and volatiles of turkey, 954
extrudates of starch xanthan gum mixtures affected by chemical agents and, 816
inactivation of Lactobacillus plantarum by pulsed-microwave, 163
ripening characteristics of tomatoes, 138
thiamin, riboflavin, and tocopherol retention in pork, 1022
isoelectric focusing
rapid identification of cooked red snapper using, 15
isoenzyme
kinetic properties of catechin oxidation by basic peroxidase from strawberries, 676
isomerase
glucose use in mirin production, 237
iterative
method for kinetic parameter estimation from dynamic thermal treatments, 8

J

JFS
guide to submission of manuscripts on disk, 632
juice
antibacterial activity of heated cabbage, 406
citrus tissue extracts affects cloud stability, 242
color and cloud stabilization in cloudy apple by steam heating during crushing, 1171
endogenous mycoflora of gable-top carton paperboard used for packaging fruit, 1223
enzymatic browning inhibition in apple by electrodialysis, 75
haze-active protein and polyphenols in apple assessed by turbidimetry, 79
identification of aroma compounds in grape, 249

K

K-value
muscle high-energy phosphates and stress affect during ice storage of salmon, 43
kernels
shelf life of sunflower, 425
kidney
textural changes and functional properties of cod mince proteins as affected by tissue, 299
kinetics
degradation of myosin heavy chain of whiting surimi, 724
for heat denaturation of bovine milk IgG, IgA, and IgM, 1034
fractional conversion for determining texture degradation of vegetables, 1
heat inactivation of apple polyphenoloxidase, 508
hydration of red kidney beans, 520
iterative method for parameter estimation from dynamic thermal treatments, 8
of alkaline degradation of food pigments curcumin and curcuminoids, 267
of casein degradation during ripening of fynbo cheese salted with NaCl/KCl brine, 386
of drainage and disproportionation of soy protein foams, 1105
of formation of polar heterocyclic amines in meat model system, 911
of oxidation of menhaden oil with TBHQ, 505
parameter estimation in conduction heating foods subjected to dynamic thermal treatments, 529
patulin on activated carbon, activation energy and heat of adsorption, 128
properties of catechin oxidation by basic peroxidase isoenzyme from strawberries, 676
kiwifruit
osmotic-convective dehydrofreezing process for drying, 1039
Kluyveromyces marxianus
enzymatic production of ribonucleotides from autolysates of grown on whey, 851

L

lactate
dehydrogenase: activity as endpoint heating indicator in cooked beef, 316
microbiological, sensory and chemical characteristics of beef treated with sodium, 586
sensory, microbial and chemical characteristics of stored ground beef containing Na, 429
Lactobacillus
delbrueckii ssp. bulgaricus: exopolysaccharide production from whey lactose by fermentation with, 171
plantarum: inactivation by pulsed-microwave irradiation, 163
sake: aminopeptidase activities in models of curing ingredients and processing conditions for dry sausage, 1211; polyamines affect activity of aminopeptidases from, 870
lactococci
heat stability of bovine milk immunoglobulins and ability to bind, 1218
lactoferrin
fractionation from bovine whey using cation exchange membrane, 996
lactoperoxidase
fractionation from bovine whey using cation exchange membrane, 996
lactose
exopolysaccharide production from whey by fermentation with Lactobacillus delbrueckii ssp. bulgaricus, 171
lamb
hot-boning, elevated temperature conditioning, and vacuum packaged aging influences on cooking losses and palatability, 1026
lao-chao
culture filtrates from a fermented rice product and their effects on milk curd firmness, 1080
LDH
activity as endpoint heating indicator in cooked beef, 316
lettuce
prediction equations for gases in flexible MAP of respiring produce are different than those for rigid packages, 926
life-support system
calcium bioavailability of vegetarian diets in rats: potential application in bioregenerative, 619
linear programming
in blending various components of surimi, 561
lipase
improved emulsifying and foaming of whey proteins after enzymic fat hydrolysis, 48
lipid fractions of sausage change when Aspergillus is added, 1076
lipid
catalytic mechanism of oxidation following high pressure treatment in pork fat and meat, 1135
dietary vitamin E affects oxidation of irradiated turkey, 954
extraction conditions and moisture content of canola flakes as related to composition, 155
fractions of sausage change when starter culture and/or Aspergillus lipase are

added, 1076
oxidation in milk powder during processing and storage, 331
oxidation in phosphatidylcholine liposomes retarded by tocopherol and carotene, 1095
oxymyoglobin oxidation as affected by oxidation products of phosphatidylcholine liposomes, 709
seasonal changes in composition of sardine, 40
whey protein emulsion film performance affected by type and amount, 390
liposome
effects of L-carnosine on, 931
oxymyoglobin and lipid oxidation in phosphatidylcholine retarded by tocopherol and carotene, 1095
oxymyoglobin oxidation as affected by oxidation products of phosphatidylcholine, 709
lipoxygenase
methods for assay in sweet corn, 696
liquid
concentration and interactive effects on sorption of aroma into polypropylene, 355
mathematical models of flavor release from emulsions, 653
Listeria monocytogenes
bacteriocins applied to food packaging materials to inhibit on meats, 413
growth inhibition by Na polyphosphate affected by polyvalent metal ions, 861

M

machine
analysis of visual quality attributes of white shrimp by vision, 113
mackerel
cathepsins B and L effects on thermal degradation of surimi, 310
color and gel-forming properties related to washing conditions, 985
supercritical CO_2 extraction of oil and residual proteins from, 289
magnetic resonance imaging
temperature measurement of foods using chemical shift, 1011
malate
bioavailability of calcium citrate added to microbial phytase-treated hydrothermally cooked soymilk, 1226
mango
microfiltration and reverse osmosis affect recovery of flavor compounds, 1116
manuscripts
guide to submission on disk, 632
MAP
color of potatoes as affected by, 572
control of decay of sliced apples using 2-nonanone vapor, 1043
gas concentrations in bulk vegetables as affected by package orientation and perforation location, 1150
prediction equations for gases of respiring produce, 926
shelf life and C botulinum toxin development during storage of catfish, 878
mapping
temperature measurement of foods using chemical shift magnetic resonance imaging as compared with T1-weighted temperature, 1011
mass transfer
mathematical modeling of convective drying of fruits and vegetables, 1154
mathematical models of flavor release from liquid emulsions, 653
mathematics
modeling of convective drying of fruits and vegetables, 1154
models of flavor release from liquid emulsions, 653
matrices
residual moisture content as related to collapse of freeze-dried sugar, 693
thermal stability of invertase in reduced-moisture in relation to glassy state and trehalose crystallization, 105
mayonnaise
thin film morphology and tribology study of, 640
measurement
of cap color in Agaricus bisporus, 1054
quality assessment of sardines during storage by fluorescent compounds, 295
meat
agar-gel immunodiffusion test for rapid identification of pollock surimi in raw, 972
bacteriocins applied to food packaging materials to inhibit Listeria monocytogenes on, 413
carrageenan effects on salt-soluble proteins in model systems, 539
carrageenan effects on thermal stability of proteins, 544
estimation of spoilage bacterial load by fluorescein diacetate hydrolysis or resazurin reduction, 601
kinetics of formation of polar heterocyclic amines in model system, 911
production of restructured using microbial transglutaminase without salt or cooking, 488
mechanical separation
heat-induced gelation of surimi from chicken, 326
membrane
fractionation of lactoperoxidase and lactoferrin from bovine whey using a cation exchange, 996
system: functional and immunological properties of casein hydrolysate produced from a two-stage, 480
memo from Scientific Editor
(2)iv; (6)iv
menhaden
oxidation kinetics of oil with TBHQ, 505
mercury
fat bloom and chocolate structure studied by porosimetry, 781
metal
catalyzed oxidation of ascorbate, deoxyribose and linoleic acid as affected by phytic acid in model system, 935
growth inhibition of L monocytogenes by Na polyphosphate affected by polyvalent ions, 861
methanethiosulfonate
antibacterial activity of cabbage juice, S-methyl-L-cysteine sulfoxide and methyl, 406
methods/methodology
agar-gel immunodiffusion test for rapid identification of pollock surimi in raw meat product, 972
analysis of visual quality attributes of white shrimp by machine vision, 113
assay for microbial aminopeptidase, 583
chemical characteristics and storage stability of pickled garlic prepared using different processes, 1120
comparison of spray-drying, drum-drying and freeze-drying for carotene encapsulation and preservation, 1158
control of decay in MAP of sliced apples using 2-nonanone vapor, 1043
debittering casein hydrolysates with octadecyl-siloxane columns, 665
destruction and inhibition of bacterial spores by high voltage pulsed electric field, 399
enzymatic browning inhibition in cloudy apple juice by electrodialysis, 75
EPM for kinetic parameter estimation from dynamic thermal treatments, 8
estimation of spoilage bacterial load on meat by fluorescein diacetate hydrolysis or resazurin reduction, 601
evaluating previous thermal treatment of chicken patties by visible/NIR spectroscopy, 753
explicit finite difference for heat transfer simulation and thermal process design, 230
fat bloom and chocolate structure studied by mercury porosimetry, 781
fluorometric assay for screening antioxidative activity of vegetables, 526
foaming properties of egg albumen with bubbling apparatus compared with whipping, 377
for determining foaming properties of protein, 1028
for kinetics of drainage and disproportionation of soy protein foams, 1105
for lipoxygenase assay in sweet corn, 696
fractional conversion for determining texture degradation kinetics of vegetables, 1
fractionation of lactoperoxidase and lactoferrin from bovine whey using a cation exchange membrane, 996
free-volume changes in flexible, hermetic packages containing respiring produce, 659
functional and immunological properties of casein hydrolysate produced from a two-stage membrane system, 480
haze-active protein and polyphenols in apple juice assessed by turbidimetry, 79
heat stability of bovine milk immunoglobulins and ability to bind lactococci as determined by ELISA, 1218
identification of aroma compounds in grape juice, 249
improving detection of Vibrio vulnificus in octopus by PCR, 179
inactivation of Lactobacillus plantarum by pulsed-microwave irradiation, 163
inverse superposition for calculating food product temperatures during in-container thermal processing, 219
low frequency ultrasonics for texture measurements in cooked carrots, 1167
measurement of extrudate temperature and heat loss on twin-screw extruder, 367
measuring texture of crackers with multiple-point sheet sensor, 922
microstructure of yolk from eggs by improved, 757
NIR reflectance spectroscopy for rapid analysis of curds during cheddar cheese making, 53
non-destructive determination of fat and moisture in salmon by NIR spectroscopy, 734
partial deacidification and demineralization of cottage cheese whey by nanofiltration, 338
piezoelectric biosensor for detection of Salmonella typhimurium, 1067
preparation of casein films by modified wet spinning process, 744
production of restructured meat using microbial transglutaminase without salt or cooking, 488
quality assessment of sardines during storage by measurement of fluorescent compounds, 295
rapid species identification of cooked red snapper using IEF, 15
soy sauce classification by geographic region based on NIR spectra and chemometrics pattern recognition, 101
standardized failure compression test of protein gels from a collaborative study, 1163
temperature measurement of foods using chemical shift magnetic resonance

imaging as compared with T1-weighted temperature mapping, 1011
to measure microwave-induced toughness of bread, 1202
use of ultrasound to determine cod fillet composition, 500
whey changes during processing determined by NIR spectroscopy, 475
yield and textural properties of tofu affected by coagulation, 824

metmyoglobin
oxymyoglobin oxidation as affected by oxidation products of phosphatidylcholine liposomes, 709

microbiology
acetic, lactic, and HCl effects on Staphylococcus aureus 196E growth based on predictive model, 174
antibacterial activity of cabbage juice, S-methyl-L-cysteine sulfoxide and methyl methanethiosulfonate, 406
antioxidative/antimicrobial effects and TBARS in aerobically refrigerated beef as related to microbial growth, 1205
assay for aminopeptidase, 583
bacterial and autolytic changes in water retention and adenosine nucleotides of cod mince, 1139
bacteriocins applied to food packaging materials to inhibit Listeria monocytogenes on meats, 413
bioavailability of calcium citrate malate added to microbial phytase-treated hydrothermally cooked soymilk, 1226
culture filtrates from a fermented rice product (lao-chao) and their effects on milk curd firmness, 1080
destruction and inhibition of bacterial spores by high voltage pulsed electric field, 399
endogenous mycoflora of gable-top carton paperboard used for packaging fruit juice, 1223
enzymatic production of ribonucleotides from autolysates of Kluyveromyces marxianus grown on whey, 851
estimation of spoilage bacterial load on meat by fluorescein diacetate hydrolysis or resazurin reduction, 601
exopolysaccharide production from lactic acid bacteria isolated from fermented foods, 597
exopolysaccharide production from whey lactose by fermentation with Lactobacillus delbrueckii spp. bulgaricus, 171
growth inhibition of L monocytogenes by Na polyphosphate affected by polyvalent metal ions, 867
growth of S aureus related to NMR water mobility and water activity, 861
heat resistance of Byssochlamys nivea, Byssochlamys fulva and Neosartorya fischeri isolated from canned tomato paste, 410
heat stability of bovine milk immunoglobulins and ability to bind lactococci as determined by ELISA, 1218
high hydrostatic pressure as hurdle for Zygosaccharomyces bailii inactivation, 855
high pressure treatment of milk and effect on quality of cheddar cheese, 843
hot-water rinsing and trimming/washing of beef carcasses to reduce contamination, 373
hydrolysis of milk protein by Bacillus licheniformis protease specific for acidic amino acid residues, 579
improving detection of Vibrio vulnificus in octopus by PCR, 179
inactivation of Lactobacillus plantarum by pulsed-microwave irradiation, 163
inhibition of Saccharomyces cerevisiae by combination of hydrostatic pressure and monoterpenes, 404
lactic fermentation of media containing high concentrations of yeast extracts, 1072
lipid fractions of fermented sausages change when starter culture and/or Aspergillus lipase are added, 1076
low-energy electron effects on sterility and viscosity of grains, 858
of stored ground beef containing Na lactate and Na propionate, 429
of vacuum-packaged beef treated with Na lactate and Na propionate, 586
of vacuum-packaged beef treated with salts of organic acids, 591
piezoelectric biosensor for detection of Salmonella typhimurium, 1067
polyamines affect activity of aminopeptidases from Lactobacillus sake, 870
pre-chill spray of chicken carcasses to reduce Salmonella typhimurium, 605
production of restructured meat using transglutaminase without salt or cooking, 488
reduction of Salmonella contamination on chicken egg shells by peroxidase catalyzed sanitizer, 873
shelf life and C botulinum toxin development during storage of MAP catfish, 878
spray-drying, freeze drying, or freezing of lactic acid bacteria, 576
starter cultures used for fermentation of salmon, 1214
survival and growth of Salmonella hadar on minimally processed cabbage as influenced by storage abuse conditions, 616
survival of Brevibacterium linens after spray drying, freeze drying, or freezing, 167
thermal inactivation of E coli in cooked turkey products, 875
trisodium phosphate treatment of pork carcasses, 402
vanillin as antimicrobial for producing shelf-stable strawberry puree, 608

microemulsion
reduction of fluid loss from grapefruit with wax coating, 789

microfiltration
affects recovery of mango flavor compounds, 1116

microscopy
histological changes in high pressure frozen carrots, 809
structural changes of pre-peeled potatoes, 797

microstructure
changes in frozen stored sardine mince gels, 838
of yolk from eggs by improved method, 757
quality characteristics of ham formulated with modified corn starch and K-carrageenan, 198
skeletal muscle connectin primary structures as related to animal species and muscle type, 451

microwave
inactivation of Lactobacillus plantarum by irradiation, 163
method to measure induced toughness of bread, 1202
physicochemical changes in dietary fiber of green beans after treatments, 1006
thawing of model frozen foods using feedback temperature control and surface cooling, 150

milk
acid gel formation as affected by total solids content, 671
culture filtrates from a fermented rice product (lao-chao) and their effects on curd firmness, 1080
dietary influences on bovine cis-9,trans-11-conjugated linoleic acid content, 1083
fat content and effect on globule stability, 992
fermentation and properties of calcium-fortified soy yogurt, 457
formulation and processing of heat stable calcium-fortified soy, 535
heat stability of bovine immunoglobulins and ability to bind lactococci as determined by ELISA, 1218
high pressure treatment of and effects on microbiological and sensory quality of cheddar cheese, 843
hydrolysis of protein by B licheniformis protease specific for acidic amino acid residues, 579
kinetic and thermodynamic parameters for heat denaturation of bovine IgG, IgA, and IgM, 1034
lipid and cholesterol oxidation in powder during processing and storage, 331
sugar diffusivity in agar bilayer systems, 454

mimetic
rheology of full-fat and low-fat cheddar cheeses as related to type of fat, 748

mince
bacterial and autolytic changes in water retention and adenosine nucleotides of cod, 1139
high pressure induced gel of sardine affected by pressure-time-temperature, 1183
textural and microstructural changes in frozen stored sardine gels, 838
textural changes and functional properties of cod proteins as affected by kidney tissue and cryoprotectants, 299
water uptake, protein solubility, and protein changes of cod stored on ice as affected by polyphosphates, 305

mineral
components of added ingredients affect flavor qualities of tomato soups, 190

mirin
glucose isomerase use in production, 237

mixture
surimi-starch interactions based on design and regression models, 555

mobility
growth of S aureus related to NMR water, 861

models/modeling
acetic, lactic, and HCl effects on Staphylococcus aureus 196E growth based on, 174
aminopeptidase activities from Lactobacillus sake in curing ingredients and processing conditions for dry sausage, 1211
carrageenan effects on salt-soluble meat proteins in systems, 539
kinetics of formation of polar heterocyclic amines in meat system, 911
low temperature blanched carrot firmness based on heat induced processes and enzyme activity, 213
metal-catalyzed oxidation of ascorbate, deoxyribose and linoleic acid as affected by phytic acid in system, 935
microwave thawing of frozen foods using feed-back temperature control and surface cooling, 150
of contribution of sugars, ascorbic acid, chlorogenic acid and amino acids to non-enzymatic browning of potato chips, 1001
of convective drying of fruits and vegetables, 1154
of flavor release from liquid emulsions, 653

physical and sensory properties of foods supplemented with cauliflower fiber, 635
surimi-starch interactions based on regression, 555
wine astringency affected by malic and lactic acid, 416
moisture
content of canola flakes as related to lipid composition of supercritical CO_2 extracts, 155
dielectric properties of bread system as function of, 145
gel properties of surimi from various fish species as affected by, 33
glass transition of tuna at low temperature and effects of, 496
non-destructive determination of fat and moisture in salmon by NIR spectroscopy, 734
residual content as related to collapse of freeze-dried sugar matrices, 693
rheological properties including tensile fracture stress of semolina extrudates influenced by, 813
supercritical CO_2 extraction of oil and residual proteins from mackerel affected by, 289
thermal stability of invertase in amorphous matrices in relation to glassy state and trehalose crystallization, 105
molecular structure
recrystallization in sugar/stabilizer solutions as affected by, 1145
monoglyceride
water vapor resistance of apples and celery coated with caseinate-acetylated films, 351
monoterpenes
inhibition of Saccharomyces cerevisiae by combination of hydrostatic pressure and, 404
morphology
thin film study of mayonnaise, 640
muscle
connectin primary structures as related to animal species and type of, 451
degradation kinetics of myosin heavy chain of whiting surimi, 724
dystrophin cleavage and sarcolemma detachment are early post mortem changes on bass white, 917
high-energy phosphates and stress affect K-values during ice storage of salmon, 43
interaction of commercial dairy proteins and chicken breast myosin in an emulsion system, 967
oxymyoglobin oxidation as affected by oxidation products of phosphatidylcholine liposomes, 709
physicochemical changes in whiting proteins during iced storage, 729
solubilization of myosin by sorbitol, 980
structural changes in cod myosin after modification with formaldehyde or frozen storage, 717
mushroom
optimum measure of cap color in, 1054
phenoloxidases in Portabella, 97
temperature sensitivity and pressure resistance of polyphenoloxidase, 261
must
pectic enzyme treatment effects on quality of grape, 1142
mutagen
kinetics of formation of polar heterocyclic amines in meat model system, 911
mycoflora
of gable-top carton paperboard used for packaging fruit juice, 1223
myosin
degradation kinetics of heavy chain of whiting surimi, 724
interaction of commercial dairy proteins and chicken breast, 967
solubilization of fish muscle by sorbitol, 980
structural changes in cod after modification with formaldehyde or frozen storage, 717

N

nanofiltration
partial deacidification and demineralization of cottage cheese whey by, 338
Neosartorya fischeri
heat resistance of isolated from canned tomato paste, 410
neural network
soy sauce classification by geographic region based on NIR spectra and chemometrics pattern recognition, 101
NIR
evaluating previous thermal treatment of chicken patties by spectroscopy, 753
non-destructive determination of fat and moisture in salmon by spectroscopy, 734
reflectance spectroscopy for rapid analysis of curds during cheddar cheese making, 53
soy sauce classification by geographic region based on spectra, 101
whey changes during processing determined by NIR spectroscopy, 475
NMR
growth of S aureus related to water mobility and water activity, 861
nonanone, control of decay in MAP apples using vapor, 1043
nonvolatiles
effects on quality of serrano dry-cured ham related to processing time, 1235
noodles
chemical, physical and sensory attributes with added sweet potato and soy flour, 622
nucleotides
bacterial and autolytic changes in water retention and adenosine of cod mince, 1139
nutrition
value of veal bone hydrolysate, 183

O

oat
optimizing quality of frankfurters containing bran, 194
octopus
detection of Vibrio vulnificus by PCR, 179
oil
oxidation kinetics of menhaden with TBHQ, 505
pecan recovery and composition as affected by temperature, pressure, and supercritical CO_2 flow rate, 762
supercritical CO_2 extraction from mackerel affected by moisture, 289
whey improves oxidative stability of soybean, 348
optimization
for soft tofu, 833
linear programming in blending various components of surimi, 561
measure of cap color in Agaricus bisporus, 1054
of acceptability of chicken nuggets containing cowpea and peanut flours, 889
of frankfurters containing oat bran and added water, 194
of yogurt production using demineralized whey, 846
orange
high pressure and temperature effects on enzyme inactivation in products, 85
orientation
gas concentrations in MAP bulk vegetables as affected by package, 1150
oryzanol
hydrolytic stability and changes in extruded rice bran during storage, 704
osmosis
dehydrofreezing for drying kiwifruit, 1039
reverse: affects recovery of mango flavor compounds, 1116
oxalate
calcium bioavailability from vegetables high in: Chinese vegetables, sweet potatoes and rhubarb, 524
oxidation
catalytic mechanism of lipid following high pressure treatment in pork fat and meat, 1135
chemical stability of antioxidant-washed beef heart surimi during frozen storage, 939
dietary vitamin E affects lipids of irradiated turkey, 954
in phosphatidylcholine liposomes retarded by tocopherol and carotene, 1095
kinetic properties of catechin by basic peroxidase isoenzyme from strawberries, 676
kinetics of menhaden oil with TBHQ, 505
of ascorbate, deoxyribose and linoleic acid as affected by phytic acid in model system, 935
of lipid and cholesterol in milk powder during processing and storage, 331
oxymyoglobin as affected by products of phosphatidylcholine liposomes, 709
whey improves stability of soybean oil, 348
oxymyoglobin
in phosphatidylcholine liposomes retarded by tocopherol and carotene, 1095
oxidation as affected by oxidation products of phosphatidylcholine liposomes, 709
oxytetracycline
retention of residues in catfish fillets, 119
ozone
color and gel-forming properties of horse mackerel as related to washing conditions, 985

P

pH
extraction and functional properties of barley B-glucan as affected by, 1194
freeze/thaw stability of cooked pork sausages as affected by, 551
physical properties of whey protein stabilized emulsions as related to, 342
packaging
bacteriocins applied to food materials to inhibit Listeria monocytogenes on meats, 413
color of potatoes as affected by, 572
control of decay in apples using 2-nonanone vapor, 1043
endogenous mycoflora of gable-top carton paperboard used for fruit juice, 1223
free-volume changes in flexible, hermetic containing respiring produce, 659
gas concentrations in bulk vegetables as affected by orientation and perforation location, 1150
influence on lamb cooking losses and palatability, 1026
microbiological, sensory and chemical characteristics of beef treated with Na lactate and Na propionate, 586
microbiological, sensory and chemical characteristics of beef treated with salts of organic acids, 591
prediction equations for gases in flexible MAP of respiring produce, 926
shelf life and C botulinum toxin development during storage of catfish, 878
vapor pressure of allyl isothiocyanate and

its transport in PVDC/PVC copolymer film, 1061
palatability
hot-boning, elevated temperature conditioning, and vacuum packaged aging influences on lamb, 1026
pancreatin
solubility and emulsifying properties of soy protein isolates modified by, 1110
paperboard
endogenous mycoflora of gable-top carton used for packaging fruit juice, 1223
paprika
natural antioxidants for preventing color loss in stored, 1017
parameter
estimation in conduction heating foods subjected to dynamic thermal treatments, 529
iterative method for kinetic estimation from dynamic thermal treatments, 8
particles
residence time distribution during two-phase non-newtonian flow in conventional as compared with helical holding tubes, 647
size: distribution in tomato concentrate and effects on rheological properties, 565
paste
heat resistance of Byssochlamys nivea, Byssochlamys fulva and Neosartorya fischeri isolated from canned tomato, 410
patulin
adsorption kinetics on activated carbon, activation energy and heat of adsorption, 128
PCR
detection of Vibrio vulnificus in octopus by, 179
peach
high pressure washing to remove decayed tissue and improve quality of clingstone puree, 131
peanut
optimizing acceptability of chicken nuggets containing fermented flour, 889
pecan
oil recovery and composition as affected by temperature, pressure, and supercritical CO_2 flow rate, 762
pectin
enzyme treatment effects on quality of grape musts and wines, 1142
HPSEC of citrus and apple after hollow fiber UF, 69
reassessment of fruit and vegetable levels, 225
substance degradation and texture of carrots affected by pressurization, 359
thermal and calcium pretreatment affects frozen sweet cherries, 511
pectinesterase
inorganic cations and polyamines moderate activity, 253
thermal and calcium pretreatment affects frozen sweet cherries, 511
pepper, Jalapeno
firmness and cell wall characteristics as affected by preheating and storage, 89
perforation
gas concentrations in MAP bulk vegetables as affected by package location, 1150
peroxidase
kinetic properties of catechin oxidation by basic isoenzyme from strawberries, 676
reduction of Salmonella contamination on chicken egg shells by catalyzed sanitizer, 873
phosphate
affect K-values during ice storage of salmon, 43
freeze/thaw stability of cooked pork sausages as affected by, 551
phosphatidylcholine
oxymyoglobin and lipid oxidation in liposomes retarded by tocopherol and carotene, 1095
oxymyoglobin oxidation as affected by oxidation products of liposomes, 709
phytase
bioavailability of calcium citrate malate added to hydrothermally cooked soymilk, 1226
phytochemical
retention in broccoli, 1098
piezoelectric
biosensor for detection of Salmonella typhimurium, 1067
pigment
HPLC analysis of cabernet sauvignon and noble wine fractions, 684
kinetics of alkaline degradation of curcumin and curcuminoids, 267
plasma
composition, solubility and emulsifying properties of egg yolk, 484
polar
kinetics of formation of heterocyclic amines in meat model system, 911
pollock
agar-gel immunodiffusion test for identification of surimi in raw meat products, 972
polyamine
affect activity of aminopeptidases from Lactobacillus sake, 870
moderate pectinesterase activity, 253
polyphenol
in apple juice assessed by turbidimetry, 79
polyphenoloxidase
heat inactivation kinetics of apple, 508
temperature sensitivity and pressure resistance of mushroom, 261
polyphosphate
growth inhibition of L monocytogenes by, 861
water uptake, protein solubility, and protein changes of cod mince stored on ice as affected by, 305
polypropylene
concentration and interactive effects on sorption of aroma liquids and vapors into, 355
polysaccharide
digestibility of raw and cooked chick peas, 93
thermal gelation in relation to binding of BSA systems, 1129
pork
catalytic mechanism of lipid oxidation following high pressure treatment in fat and meat, 1135
cooking and sensory properties of crumbles affected by potato starch, crumble diameter and fat content, 203
freeze/thaw stability of sausages as affected by salt, phosphate, pH, and carrageenan, 551
skin connective tissue gel utilization in reduced-fat bologna, 1176
soy tofu powder effects on frankfurters and sausage patties, 434
thiamin, riboflavin, and tocopherol retention in processed and stored irradiated, 1022
trisodium phosphate treatment of, 402
porosimetry
fat bloom and chocolate structure studied by, 781
Portabella
phenoloxidases in mushrooms, 97
postmortem
dystrophin cleavage and sarcolemma detachment are early changes on bass white muscle, 917
potassium chloride
kinetics of casein degradation during ripening of fynbo cheese salted with, 386
potatoes
color as affected by MAP and antibrowning agents, 572
cooking and sensory properties of pork crumbles affected by starch, 203
fractal analysis and crust water diffusivity of restructured product during deep-fat frying, 135
low temperature blanch improves textural quality of french fries, 568
modeling the contribution of sugars, ascorbic acid, chlorogenic acid and amino acids to non-enzymatic browning of chips, 1001
structural changes related to texture of pre-peeled, 797
sweet: calcium bioavailability from high oxalate, 524; chemical, physical and sensory attributes with added, 622
temperature measurement of foods using chemical shift magnetic resonance imaging as compared with T1-weighted temperature mapping, 1011
powder
lipid and cholesterol oxidation in milk during processing and storage, 331
soy tofu effects on frankfurters and pork sausage, 434
prawns
physicochemical changes in subjected to multiple freeze-thaw cycles, 123
prediction
equations for gases in flexible MAP of respiring produce, 926
preheating
firmness and cell wall characteristics of pasteurized Jalapeno pepper rings as affected by, 89
preservation
comparison of spray-drying, drum-drying and freeze-drying for carotene encapsulation and, 1158
pressure
catalytic mechanism of lipid oxidation following treatment in pork, 1135
covalent bonding in fish protein gels, 713
effects on enzyme inactivation in strawberry and orange products, 85
freezing effects on textural quality of carrots, 804
gel of sardine washed mince as affected by, 1183
high hydrostatic as hurdle for Zygosaccharomyces bailii inactivation, 855
histological changes in frozen carrots, 809
inhibition of Saccharomyces cerevisiae by hydrostatic, 404
of allyl isothiocyanate vapor and its transport in PVDC/PVC copolymer packaging film, 1061
pecan oil recovery and composition as affected by, 762
resistance of mushroom polyphenoloxidase, 261
structural and textural changes in kinu-tofu due to freezing, 828
treatment of milk and effects on microbiological and sensory quality of cheddar cheese, 843
washing to remove decayed tissue and improve quality of peach puree, 131
pressurization
pectic substance degradation and texture of carrots as affected by, 359
pretreatment
thermal and calcium affects texture, pectinesterase and pectic substances of frozen sweet cherries, 511
processing
aminopeptidase activities from Lactobacillus sake in models of curing ingredients

and conditions for dry sausage, 1211
color of potatoes as affected by MAP and antibrowning agents, 572
explicit finite difference for heat transfer simulation and design, 230
hygroscopic coatings control surface white discoloration of peeled carrots during storage, 363
inverse superposition for calculating food product temperatures during in-container thermal, 219
lipid and cholesterol oxidation in milk powder during, 331
modeling low temperature blanched carrot firmness based on heat induced, 213
non-volatile components effects on quality of serrano dry-cured ham related to, 1235
of heat stable calcium-fortified soy milk, 535
optimization for soft tofu, 833
osmotic-convective dehydrofreezing for drying kiwifruit, 1039
physical and sensory properties of model foods supplemented with cauliflower fiber, 635
preparation of casein films by modified wet spinning, 744
S hadar on cabbage influenced by storage abuse, 616
thiamin, riboflavin, and tocopherol retention in pork, 1022
to improve quality of dehydrated precooked pinto beans, 141
whey changes determined by NIR spectroscopy, 475

produce
free-volume changes in flexible, hermetic packages containing respiring, 659
prediction equations for gases in flexible MAP of respiring, 926

production
glucose isomerase use in mirin, 237

profile
sensory descriptive relationships to shear values of deboned poultry, 885

propionate
microbiological, sensory and chemical characteristics of beef treated with sodium, 586
sensory, microbial and chemical characteristics of stored ground beef containing Na lactate and Na propionate, 429

protease
hydrolysis of milk protein by B licheniformis, 579

protein
biopolymers produced by cross-linking soybean 11S globulin with whey using transglutaminase, 270
carrageenan effects on salt-soluble meat in model systems, 539
carrageenan effects on thermal stability of meat, 544
chemically induced covalent crosslinks affect thermo-rheological profiles of fish gels, 29
components of added ingredients affect flavor qualities of tomato soups, 190
content of rice cultivars as related to texture of rice-based fries, 701
covalent bonding in pressure-induced fish gels, 713
covalent cross-linking effects on thermo-rheological profiles of fish gels, 25
development and characterization of biodegradable/edible wheat films, 160
effects on calcium induced cold gelation of whey protein isolate, 382
factors affecting gelation properties of sunflower, 284
gelation of egg white as affected by combined heating and freezing, 963
heat curing of whey films, 1189
hydrolysis of milk by B licheniformis protease specific for acidic amino acid residues, 579
improved emulsifying and foaming of whey after enzymic fat hydrolysis, 48
in apple juice assessed by turbidimetry, 79
interaction of dairy and chicken breast myosin, 967
interactive effects of factors affecting gelation of whey, 57
method for determining foaming properties of, 1028
modified soy with improved foaming and water hydration properties, 821
physical factors related to C18 adsorption columns for debittering hydrolysates, 946
physical properties of whey stabilized emulsions as related to pH and NaCl, 342
physicochemical changes in whiting muscle during iced storage, 729
physicochemical properties of whey stabilized emulsions affected by heating and ionic strength, 462
rheological method for kinetics of drainage and disproportionation of soy foams, 1105
solubility and emulsifying properties of soy isolates modified by pancreatin, 1110
solubility of cod mince stored on ice affected by polyphosphates, 305
standardized failure compression test of gels from a collaborative study, 1163
structure-mechanical properties of whey starch gels, 1048
supercritical CO_2 extraction from mackerel affected by moisture, 289
textural changes and functional properties of cod mince as affected by kidney tissue and cryoprotectants, 299
transglutaminase effects on low temperature gelation of fish sols, 20
whey emulsion film performance as affected by lipid type and amount, 390
xanthan gum effects on solubility and emulsification properties of soy isolate, 1101

proteinase
catalytic activities of enzyme fractions from sardine, 976

proteolysis
dystrophin cleavage and sarcolemma detachment are early post mortem changes on bass white muscle, 917

puree
high pressure washing to remove decayed tissue and improve quality of clingstone peach, 131

PVC
vapor pressure of allyl isothiocyanate and transport in copolymer packaging film, 1061

PVDC
vapor pressure of allyl isothiocyanate and transport in copolymer packaging film, 1061

Q

quality
analysis of visual attributes of shrimp by machine vision, 113
assessment of sardines during storage by measurement of fluorescent compounds, 295
characteristics of ham formulated with corn starch and K-carrageenan, 198
fat, protein, and mineral components of added ingredients affect flavor of tomato soup, 190
handling stress and storage temperature affect salmon, 898
high pressure freezing effects on texture of carrots, 804
high pressure treatment of milk and effects on microbiological and sensory evaluation of cheddar cheese, 843
high pressure washing to remove decayed tissue and improve clingstone peach puree, 131
low temperature blanch improves french fries, 568
non-volatile components effects serrano dry-cured ham related to processing time, 1235
of frankfurters containing oat bran and added water, 194
pectic enzyme treatment effects on grape musts and wines, 1142
processing to improve dehydrated precooked pinto beans, 141
taste qualities of reduced-sodium soups as affected by serving temperature, 421

R

rapeseed
dietary influences on bovine milk cis-9,trans-11-conjugated linoleic acid content, 1083

rats
calcium bioavailability of vegetarian diets in, 619

reassessment
of fruit and vegetable pectin levels, 225

recognition
soy sauce classification by geographic region based on chemometrics pattern, 101

recrystallization
in sugar/stabilizer solutions as affected by molecular structure, 1145

red snapper
rapid species identification using IEF, 15

reduction
estimation of spoilage bacterial load on meat by resazurin, 601

reflectance
NIR spectroscopy for rapid analysis of curds during making of cheddar cheese, 53

regression
surimi-starch interactions based on model, 555

reheating
physicochemical changes in dietary fiber of green beans after repeated microwave treatments, 1006

rennet
syneresis in curd without mechanical treatment, 907

resazurin
estimation of spoilage bacterial load on meat by reduction, 601

residence
time distribution of particles during two-phase non-newtonian flow in conventional as compared with helical holding tubes, 647

residue
hydrolysis of milk protein by B licheniformis protease specific for acidic amino acid, 579
retention of oxytetracycline in catfish fillets, 119

resistance
of Byssochlamys nivea, Byssochlamys fulva and Neosartorya fischeri isolated from canned tomato paste to heating, 410
of mushroom polyphenoloxidase to pressure, 261
water vapor of apples and celery coated with caseinate-acetylated monoglyceride films, 351

respiring
prediction equations for gases in flexible MAP of produce, 926

retention
bacterial and autolytic changes in water of cod mince, 1139
cyclodextrin flavors in extruded starches, 1057
of oxytetracycline residues in catfish fillets, 119
of phytochemicals in broccoli, 1098
of thiamin, riboflavin and tocopherol in irradiated pork, 1022
reverse osmosis
affects recovery of mango flavor compounds, 1116
reviewers, JFS
alphabetical listing, (6)v-vi
rheology
acid milk gel formation as affected by total solids content, 671
carrageenan effects on salt-soluble meat proteins in model systems, 539
chemically induced covalent crosslinks affect fish protein gels, 29
cross-linking effects on profiles of fish protein gels, 25
garlic effects on dough properties, 1198
gelling properties of gellan solutions containing monovalent and divalent cations, 688
gelling temperature of gellan solutions containing calcium ions, 276
heat-induced gelation properties of surimi from mechanically separated chicken, 326
method for kinetics of drainage and disproportionation of soy proteins foams, 1105
of full-fat and low-fat cheddar cheeses as related to type of fat mimetic, 748
particle size distribution in tomato concentrate and effects on, 565
properties including tensile fracture stress of semolina extrudates influenced by moisture content, 813
properties of semolina extrudates, 813
soybean flour lipoxygenase isozymes effects on wheat flour dough, 281
thermal gelation in relation to binding of BSA polysaccharide systems, 1129
thin film of chocolate, 767
rhubarb
calcium bioavailability from high oxalate, 524
riboflavin
retention in irradiated pork, 1022
ribonucleotides
enzymatic production from autolysates of Kluyveromyces marxianus grown on whey, 851
rice
amylose and protein contents of cultivars as related to texture of -based fries, 701
culture filtrates from fermented product and effects on milk curd firmness, 1080
disinfection of seeds prior to sprouting, 611
hydrolytic stability and changes in E vitamers and oryzanol of extruded bran during storage, 704
mechanical and barrier properties of bran film, 395
rigor mortis
assessment of salmon and effects of stress, 439
physical and biochemical effects of broiler tenderization by aging after deboning, 959
rinsing
of beef carcasses to reduce contamination, 373
ripening
accumulation of flavor compounds in full and reduced fat cheddar cheese under different conditions, 468
kinetics of casein degradation of fynbo cheese, 386
of light irradiated tomatoes, 138
RSM
interactive effects of factors affecting gelation of whey protein, 57
process optimization for soft tofu, 833

S

Saccharomyces cerevisiae
inhibition of by combination of hydrostatic pressure and monoterpenes, 404
salmon
handling stress and storage temperature affect meat quality of, 898
muscle high-energy phosphates and stress affect K-values during ice storage of, 43
non-destructive determination of fat and moisture in by NIR spectroscopy, 734
rigor mortis assessment of, 439
starter cultures used for fermentation of, 1214
Salmonella
hadar: on minimally processed cabbage influenced by storage abuse, 616
reduction on egg shells by peroxidase-catalyzed sanitizer, 873
trisodium phosphate treatment of pork carcasses, 402
typhimurium: piezoelectric biosensor for detection of, 1067; pre-chill spray of chicken carcasses to reduce, 605
salt
carrageenan effects on soluble meat proteins in model systems, 539
dielectric properties of bread system as function of, 145
effects on calcium induced cold gelation of whey protein isolate, 382
freeze/thaw stability of cooked pork sausages as affected by, 551
glass transition of tuna at low temperature and effects of, 496
microbiological, sensory and chemical characteristics of beef treated with organic acid, 591
production of restructured meat using microbial transglutaminase without, 488
sensory and chemical changes in spiced herring affected by handling, 894
sanitizer
reduction of Salmonella contamination on chicken egg shells by peroxidase-catalyzed, 873
sarcolemma
detachment is early post mortem changes on bass white muscle, 917
sardine
catalytic activities of enzyme fractions from, 976
high pressure induced gel affected by pressure-time-temperature, 1183
quality assessment during storage by measurement of fluorescent compounds, 295
seasonal changes in lipid composition of, 40
textural and microstructural changes in stored gels, 838
sausage
aminopeptidase activities from Lactobacillus sake in models of curing ingredients and processing conditions for, 1211
sausage
freeze/thaw stability of pork as affected by salt, phosphate, pH and carrageenan, 551
lipid fractions change when starter culture and/or Aspergillus lipase are added, 1076
soy tofu powder effects on frankfurters and pork patties, 434
seafood
agar-gel immunodiffusion test for rapid identification of pollock surimi in raw meat product, 972
analysis of visual quality attributes of white shrimp by machine vision, 113
bacterial and autolytic changes in water retention and adenosine nucleotides of cod mince, 1139
biochemical and physicochemical properties of actomyosin from frozen pre-and post-spawned hake, 491
catalytic activities of ennzyme fractions from sardine, 976
chemically induced covalent crosslinks affect thermo-rheological profiles of fish protein gels, 29
color and gel-forming properties of horse mackerel as related to washing conditions, 985
covalent bonding in pressure-induced fish protein gels, 713
covalent cross-linking effects on thermo-rheological profiles of fish protein gels, 25
degradation kinetics of myosin heavy chain of whiting surimi, 724
dystrophin cleavage and sarcolemma detachment are early post mortem changes on bass white muscle, 917
gel properties of surimi from various fish species as affected by moisture content, 33
gelatin from cod skins as affected by chemical treatments, 37
glass transition of tuna flesh at low temperature and effects of salt and moisture, 496
handling stress and storage temperature affect meat quality of salmon, 898
high pressure induced gel of sardine washed mince as affected by pressure-time-temperature, 1183
improving detection of Vibrio vulnificus in octopus by PCR, 179
linear programming in blending various components of surimi, 561
mackerel cathepsins B and L effects on thermal degradation of surimi, 310
muscle high-energy phosphates and stress affect K-values during ice storage of salmon, 43
non-destructive determination of fat and moisture in salmon by NIR spectroscopy, 734
oxidation kinetics of menhaden oil with TBHQ, 505
physicochemical changes in prawns subjected to multiple freeze-thaw cycles, 123
physicochemical changes in whiting muscle proteins during iced storage, 729
quality assessment of sardines during storage by measurement of fluorescent compounds, 295
rapid species identification of cooked red snapper using IEF, 15
retention of oxytetracycline residues in catfish fillets, 119
rigor mortis assessment of salmon and effects of stress, 439
seasonal changes in lipid composition of sardine, 40
sensory and chemical changes in spice salted herring as affected by handling, 894
sensory and chemical characteristics of Gulf of Mexico herring, 626
shelf life and C botulinum toxin development during storage of MAP catfish, 878
solubilization of fish muscle myosin by sorbitol, 980
starter cultures used for fermentation of salmon, 1214
structural changes in cod myosin after modification with formaldehyde or

frozen storage, 717
supercritical CO_2 extraction of oil and residual proteins from mackerel affected by moisture, 289
surimi-starch interactions based on mixture design and regression models, 555
textural changes and functional properties of cod mince proteins as affected by kidney tissue and cryoprotectants, 299
transglutaminase effects on low temperature gelation of fish protein sols, 20
trypsin treatment to improve freeze texturization of minced bream, 737
use of ultrasound to detemine cod fillet composition, 500
water uptake, protein solubility, and protein changes of cod mince stored on ice as affected by polyphosphates, 305
seasonal changes
in lipid composition of sardine, 40
seeds
disinfection of rice prior to sprouting, 611
semolina
rheological properties including tensile fracture stress of extrudates, 813
sensitivity
analysis for hygrostress crack formation in cylindrical food during drying, 447
of mushroom polyphenoloxidase, 261
sensory evaluation
acceptability and composition of acidified meat and vegetable stick products, 1250
accumulation of flavor compounds in full and reduced fat cheddar cheese under different ripening conditions, 468
amylose and protein contents of rice cultivars as related to texture of rice-based fries, 701
analysis of visual quality attributes of white shrimp by machine vision, 113
aroma volatiles in cooked alligator meat, 321
color and firmness classification of fresh market tomatoes, 793
color of minimally processed potatoes as affected by MAP and antibrowning agents, 572
cyclodextrin flavors retention in extruded starches, 1057
descriptive profile relationships to shear values of deboned poultry, 885
fat, protein, and mineral components of added ingredients affect flavor qualities of tomato soups, 190
handling stress and storage temperature affect meat quality of salmon, 898
high pressure freezing effects on textural quality of carrots, 804
high pressure treament of milk and effect on quality of cheddar cheese, 843
hot-boning, elevated temperature conditioning, and vacuum packaged aging influences on lamb cooking losses and palatability, 1026
lipid fractions of fermented sausages change when starter culture and/or Aspergillus lipase are added, 1076
low temperature blanch improves textural quality of french fries, 568
mathematical models of flavor release from liquid emulsions, 653
measuring texture of crackers with multiple-point sheet sensor, 922
method to measure microwave induced toughness in bread, 1202
microfiltration and reverse osmosis affect recovery of mango puree flavor compounds, 1116
modeling low temperature blanched carrot firmness based on heat induced processes and enzyme activity, 213
natural antioxidants for preventing color loss in stored paprika, 1017
non-volatile components effects on quality of serrano dry-cured ham related to processing time, 1235
of herring, 626
of model foods supplemented with cauliflower fiber, 635
of noodles with added sweet potato and soy flour, 622
of pork crumbles as affected by potato starch, crumble diameter and fat content, 203
of reduced-fat turkey frankfurters with modified corn starch and water, 1240
of spice salted herring affected by handling, 894
of stored ground beef containing Na lactate and Na propionate, 429
of vacuum-packaged beef treated with Na lactate and Na propionate, 586
of vacuum-packaged beef treated with salts of organic acids, 591
optimization of yogurt production using demineralized whey, 846
optimizing acceptability of chicken nuggets containing fermented cowpea and peanut flours, 889
optimizing quality of frankfurters containing oat bran and added water, 194
optimum measure of cap color in Agaricus bisporus, 1054
pectic enzyme treatment effects on quality of grape musts and wines, 1142
red wine and model wine astringency as affected by malic and lactic acid, 416
ripening characteristics of light irradiated tomatoes, 138
skeletal muscle connectin primary structures as related to animal species and muscle type, 451
sodium alginate plus modified tapioca starch improves properties of low-fat beef patties, 1245
structural and textural changes in kinu-tofu due to high pressure freezing, 828
sugar and fat effects on ice cream, 1087
taste qualities of reduced-sodium soups as affected by serving temperature, 421
textural and microstructural changes in frozen stored sardine mince gels, 838
thermal and calcium pretreatment affects texture, pectinesterase and pectic substances of frozen sweet cherries, 511
thin film morphology and tribology study of mayonnaise, 640
thin film rheology and tribology of chocolate, 767
yield and textural properties of tofu affected by coagulation method, 824
serrano
non-volatile components effects on quality of dry-cured ham related to processing time, 1235
serum
thermal gelation in relation to binding of bovine albumin polysaccharide systems, 1129
serving
taste qualities of reduced-sodium soups as affected by temperature, 421
shear values
sensory descriptive profile relationships of deboned poultry, 885
sheet sensor
measuring texture of crackers with, 922
shrimp
analysis of visual quality attributes by machine vision, 113
shrinkage
mechanisms of syneresis in rennet curd without mechanical treatment, 907
siloxane
debittering casein hydrolysates with octadecyl- columns, 665
simulation
explicit finite difference method for heat transfer, 230
skin
aroma composition of white wine of Vitis vinifera affected by contact, 680
gelatin from cod as affected by chemical treatments, 37
soaking
processing to improve quality of dehydrated precooked pinto beans, 141
sodium
chloride: kinetics of casein degradation during ripening of fynbo cheese salted with, 386; physical properties of whey protein stabilized emulsions as related to, 342
growth inhibition of L monocytogenes by polyphosphate, 861
microbiological, sensory and chemical characteristics of beef treated with lactate and propionate, 586
sensory, microbial and chemical characteristics of stored ground beef containing lactate and propionate, 429
taste qualities of soups reduced in as affected by serving temperature, 421
alginate: plus modified tapioca starch improves properties of low-fat beef patties, 1245
solids
acid milk gel formation as affected by content, 671
sols
transglutaminase effects on low temperature gelation of fish protein, 20
solubility
of granules and plasma of egg yolk, 484
of protein by cod mince stored on ice affected by polyphosphates, 305
of soy protein isolates modified by pancreatin, 1110
xanthan gum effects on soy protein isolate, 1101
solubilization
of fish muscle myosin by sorbitol, 980
sorbitol
solubilization of fish muscle myosin by, 980
sorption
concentration and interactive effects on aroma liquids and vapors into polypropylene, 355
soup
fat, protein, and mineral components of added ingredients affect flavor quality of tomato, 190
taste qualities of reduced-sodium as affected by serving temperature, 421
soybean
biopolymers produced by cross-linking 11S globulin with whey proteins using transglutaminase, 270
chemical, physical and sensory attributes with added flour, 622
fermentation and properties of calcium-fortified yogurt, 457
flour lipoxygenase isozymes effects on wheat flour dough rheological and breadmaking properties, 281
formulation and processing of heat stable calcium-fortified milk, 535
milk: bioavailability of calcium citrate malate added to microbial phytase-treated hydrothermally cooked, 1226
modified protein with improved foaming and water hydration properties, 821
rheological method for kinetics of drainage and disproportionation of protein foams, 1105
sauce: classification by geographic region based on NIR spectra and chemometrics pattern recognition, 101
solubility and emulsifying properties of protein isolates modified by pancreatin,

1110
tofu powder effects on frankfurters and pork sausage, 434
whey improves oxidative stability of oil, 348
xanthan gum effects on solubility and emulsification properties of protein isolate, 1101
spawning
biochemical and physicochemical properties of actomyosin from frozen pre-and post- hake, 491
species
skeletal muscle connectin primary structures as related to, 451
spectroscopy
evaluating previous thermal treatment of chicken patties by visible/NIR, 753
NIR reflectance for rapid analysis of curds during making of cheddar cheese, 53
non-destructive determination of fat and moisture in salmon by NIR, 734
soy sauce classification by geographic region based on NIR, 101
whey changes during processing determined by NIR, 475
spice
sensory and chemical changes in salted herring affected by handling, 894
spinning
preparation of casein films by modified wet, 744
spoilage
estimation of bacterial load on meat by fluorescein diacetate hydrolysis or resazurin reduction, 601
spores
destruction and inhibition by high voltage pulsed electric field, 399
spray
of chicken carcasses to reduce S typhimurium, 605
spray-drying
for carotene encapsulation and preservation, 1158
of lactic acid bacteria, 576
survival of Brevibacterium linens after, 167
sprouting
disinfection of rice seeds prior to, 611
stability
carrageenan effects on meat proteins, 544
citrus tissue extracts affects juice cloud, 242
fat content of milk and cream and effects on globule, 992
in E vitamers and oryzanol of extruded rice bran during storage, 704
of beef heart surimi during frozen storage, 939
of bovine milk immunoglobulins and ability to bind lactococci as determined by ELISA, 1218
of goat meat as affected by breed type and feeding regimen, 949
of pickled garlic, 1120
of pork sausage as affected by salt, phosphate, pH and carrageenan, 551
properties of anthocyanins from grape cell culture, 246
whey improves soybean oil, 348
stabilization
of color and cloud in cloudy apple juice by steam heating during crushing, 1171
stabilizer
recrystallization in solutions as affected by molecular structure, 1145
Staphylococcus aureus
growth related to NMR water mobility and water activity, 861
196E: acetic, lactic, and HCl effects on, 174
starch
cooking and sensory properties of pork crumbles affected by potato, 203
cyclodextrin flavor retention in extruded, 1057
digestibility of raw and cooked chick peas, 93
extrudates of gum mixtures affected by chemical agents and irradiation, 816
sensory and physical characteristics of reduced-fat turkey frankfurters with modified corn, 1240
sodium alginate plus modified tapioca improves properties of low-fat beef patties, 1245
structure-mechanical properties of whey protein/cassava gels, 1048
surimi interactions based on mixture design and regression models, 555
steam
color and cloud stabilization in cloudy apple juice by steam, 1171
sterility
low-energy electron effects on grains, 858
storage
biochemical and physicochemical properties of actomyosin from frozen pre-and post-spawned hake, 491
browning susceptibility and changes in composition of carambola, 256
chemical stability of antioxidant-washed beef heart surimi during frozen, 939
composition and stability of goat meat patties as affected by breed type and feeding regimen, 949
dystrophin cleavage and sarcolemma detachment are early post mortem changes on bass white muscle, 917
firmness and cell wall characteristics of pasteurized Jalapeno pepper rings as affected by, 89
freeze/thaw stability of cooked pork sausages as affected by salt, phosphate, pH and carrageenan, 551
hydrolytic stability and changes in E vitamers and oryzanol of extruded rice bran during, 704
hygroscopic coatings control surface white discoloration of peeled carrots during, 363
lipid and cholesterol oxidation in milk powder during, 331
microbiological, sensory and chemical characteristics of vacuum-packaged cooked beef top rounds treated with Na lactate and Na propionate, 586
microbiological, sensory and chemical characteristics of vacuum-packaged ground beef patties treated with salts of organic acids, 591
muscle high-energy phosphates and stress affect K-values of salmon, 43
natural antioxidants for preventing color loss in stored paprika, 1017
physicochemical changes in whiting muscle proteins during iced, 729
quality assessment of sardines by measurement of fluorescent compounds, 295
S. hadar on cabbage influenced by abuse during, 616
sensory, microbial and chemical characteristics of ground beef containing Na lactate and Na propionate, 429
shelf life and C botulinum toxin development of MAP catfish filets, 878
shelf life of sunflower kernels, 425
stability of pickled garlic, 1120
structural changes in cod myosin after modification with formaldehyde or frozen, 717
temperature affect meat quality of salmon, 898
textural and microstructural changes in frozen sardine gels, 838
thiamin, riboflavin, and tocopherol retention in pork, 1022
vanillin as antimicrobial for producing shelf-stable strawberry puree, 608
viscoelasticity of frozen/thawed egg yolk, 548
water uptake, protein solubility, and protein changes of cod mince on ice as affected by polyphosphates, 305
whey improves oxidative stability of soybean oil, 348
strawberries
high pressure and temperature effects on enzyme inactivation in products, 85
kinetic properties of catechin oxidation by basic peroxidase isoenzyme from, 676
vanillin as antimicrobial for producing shelf-stable puree, 608
stress
affects K-values during ice storage of salmon, 43
handling affect meat quality of salmon, 898
rheological properties including tensile fracture of semolina extrudates, 813
rigor mortis assessment of salmon and effects of, 439
structure
changes in kinu-tofu due to high pressure freezing, 828
of heat-induced whey protein/cassava starch gels, 1048
recrystallization in sugar/stabilizer solutions as affected by molecular, 1145
related to texture of pre-peeled potatoes, 797
submission
of JFS manuscripts on disk, 632
sugar
diffusivity in agar gel/milk bilayer systems, 454
effect on sensory properties on ice cream, 1087
modeling contribution to non-enzymatic browning of potato chips, 1001
recrystallization in solutions as affected by molecular structure, 1145
residual moisture content as related to collapse of freeze-dried matrices, 693
solubilization of fish muscle myosin by sorbitol, 980
sulfoxide
antibacterial activity of S-methyl-L-cysteine, 406
sunflower
factors affecting gelation properties of proteins, 284
shelf life of kernels, 425
supplementation
physical and sensory properties of model foods with cauliflower fiber, 635
surface
hygroscopic coatings control white discoloration of peeled carrots during storage, 363
microwave thawing of frozen foods using cooling, 150
surimi
agar-gel immunodiffusion test for identification of pollock in raw meat products, 972
chemical stability of antioxidant-washed beef heart during frozen storage, 939
chemically induced covalent crosslinks affect thermo-rheological profiles of fish protein gels, 29
covalent bonding in pressure-induced fish protein gels, 713
covalent cross-linking effects on thermo-rheological profiles of fish protein gels, 25
degradation kinetics of myosin heavy chain of whiting, 724
gel properties from various fish species as affected by moisture content, 33

heat-induced gelation of from chicken, 326
linear programming in blending various components of, 561
mackerel cathepsins B and L effects on thermal degradation of, 310
starch interactions based on mixture design and regression models, 555
survival
of Brevibacterium linens after spray drying, freeze drying, or freezing, 167
susceptibility
to browning during storage of carambola, 256
syneresis
in rennet curd without mechanical treatment, 907

T

tapioca
sodium alginate plus modified starch improves properties of low-fat beef patties, 1245
taste
qualities of reduced-sodium soups as affected by serving temperature, 421
TBA reactive substances (TBARS)
in aerobically refrigerated beef as related to microbial growth, 1205
TBHQ
oxidation kinetics of menhaden oil with, 505
temperature
blanch improves textural quality of french fries, 568
blanched carrot firmness based on heat induced processes and enzyme activity, 213
composition affects residual catalatic activity in chicken heated to specific end-point, 66
dielectric properties of bread system as function of, 145
effects on enzyme inactivation in strawberry and orange products, 85
evaluating previous thermal treatment of chicken patties by visible/NIR spectroscopy, 753
extraction and functional properties of barley B-glucan as affected by, 1194
factors affecting gelation properties of hydrolyzed sunflower proteins, 284
glass transition of tuna at low, 496
high pressure induced gel of sardine washed mince as affected by, 1183
influence on lamb cooking losses and palatability, 1026
measurement of foods using chemical shift magnetic resonance imaging as compared with T1-weighted temperature mapping, 1011
measurement on twin-screw extruder, 367
microwave thawing of frozen foods using feed-back control, 150
of gellan solutions containing calcium ions, 276
pecan oil recovery and composition as affected by, 762
sensitivity and pressure resistance of mushroom polyphenoloxidase, 261
storage affect meat quality of salmon, 898
taste qualities of reduced-sodium soups as affected by serving, 421
transglutaminase effects on gelation of fish sols, 20
tempering
of chocolate in scraped surface heat exchanger, 773
tenderization
physical and biochemical effects of broiler breast by aging, 959
tensile properties
anisotropy in Mozzarella cheese, 1031
rheological properties including fracture stress of semolina extrudates, 813
texture
amylose and protein contents of rice cultivars as related to rice-based fries, 701
changes in frozen stored sardine mince gels, 838
changes in kinu-tofu due to high pressure freezing, 828
fractional conversion for determining degradation kinetics of vegetables, 1
handling stress and storage temperature affect meat quality of salmon, 898
high pressure freezing effects on quality of carrots, 804
low frequency ultrasonics for measurement in cooked carrots, 1167
low temperature blanch improves quality of french fries, 568
modeling low temperature blanched carrot firmness based on heat induced processes and enzyme activity, 213
of cod mince proteins as affected by kidney tissue and cryoprotectants, 299
of crackers with multiple-point sheet sensor, 922
of tofu affected by coagulation method, 824
osmotic-convective dehydrofreezing process for drying kiwifruit, 1039
pectic substance of carrots affected by pressurization, 359
profile analysis of heat-formed gels and cakes prepared with low cholesterol egg yolk concentrates, 208
sensory descriptive profile relationships to shear values of deboned poultry, 885
skeletal muscle connectin primary structures as related to animal species and muscle type, 451
structural changes of pre-peeled potatoes, 797
thermal and calcium pretreatment affects frozen sweet cherries, 511
texturization
trypsin treatment to improve minced bream, 737
thawing
microwaving of model frozen foods using feed-back temperature control and surface cooling, 150
stability of pork sausage as affected by salt, phosphate, pH and carrageenan, 551
viscoelasticity of frozen egg yolk, 548
thermodynamics
for heat denaturation of bovine milk IgG, IgA, and IgM, 1034
thiamin
retention in irradiated pork, 1022
time
high pressure induced gel of sardine washed mince as affected by, 1183
non-volatile components effects on quality of serrano dry-cured ham related to processing, 1235
residence distribution of particles during two-phase non-newtonian flow in conventional as compared with helical holding tubes, 647
tissue
high pressure washing to remove decayed in peach puree, 131
tocopherol
oxymyoglobin and lipid oxidation in phosphatidylcholine liposomes retarded by, 1095
retention in irradiated pork, 1022
tofu
process optimization for soft, 833
soy powder effects on frankfurters and pork sausage, 434
structural and textural changes due to high pressure freezing, 828
yield and textural properties affected by coagulation method, 824
tomato
color and firmness classification of fresh market, 793
fat, protein, and mineral components of added ingredients affect flavor qualities of soup, 190
heat resistance of Byssochlamys nivea, Byssochlamys fulva and Neosartorya fischeri isolated from canned paste, 410
particle size distribution in concentrate and effects on rheological properties, 565
ripening characteristics of light irradiated, 138
tortilla
corn alkaline cooking properties related to grain characteristics and viscosity, 516
toughness
method to measure microwave induced in bread, 1202
toxin
C botulinum development during storage of MAP catfish, 878
transglutaminase
biopolymers produced by cross-linking soybean 11S globulin with whey proteins using, 270
effects on low temperature gelation of fish protein sols, 20
production of restructured meat using, 488
transport
vapor pressure of allyl isothiocyanate in PVDC/PVC copolymer packaging film, 1061
trehalose
thermal stability of invertase in reduced-moisture amorphous matrices in relation to glassy state and crystallization, 105
tribology
thin film morphology and study of mayonnaise, 640
thin film of chocolate, 767
trimming
of beef carcasses to reduce contamination, 373
trisodium phosphate
treatment of pork carcasses, 402
trypsin
treatment to improve freeze texturization of minced bream, 737
tuna
glass transition at low temperature and effects of salt and moisture, 496
turbidimetry
haze-active protein and polyphenols in apple juice assessed by, 79
turkey
dietary vitamin E affects lipid oxidation and volatiles of irradiated, 954
sensory and physical characteristics of reduced-fat frankfurters with modified corn starch and water, 1240
thermal inactivation of E coli in cooked products, 875

U

ultrafiltration
HPSEC with component analysis of citrus and apple pectins after hollow fiber, 69
ultrasonics
low frequency for texture measurement in cooked carrots, 1167
ultrasound
low frequency ultrasonics for texture measurement in cooked carrots, 1167
to determine cod fillet composition, 500
uptake
of water by cod mince stored on ice affected by polyphosphates, 305

V

vacuum
packaged beef treated with Na lactate and Na propionate, 586

packaged beef treated with salts of organic acids, 591
packaging influences on lamb cooking losses and palatability, 1026
vanillin
as antimicrobial for producing shelf-stable strawberry puree, 608
vapor
concentration and interactive effects on sorption of aroma into polypropylene, 355
control of decay in MAP apples using 2-nonanone, 1043
pressure of allyl isothiocyanate and its transport in PVDC/PVC copolymer packaging film, 1061
water resistance of apples and celery coated with caseinate-acetylated monoglyceride films, 351
veal
nutritional value of bone hydrolysate, 183
vegetables
acceptability and composition of stick products, 1250
calcium bioavailability from high oxalate: Chinese vegetables, sweet potatoes and rhubarb, 524
fluorometric assay for screening antioxidative activity of, 526
fractional conversion for determining texture degradation kinetics of, 1
gas concentrations in MAP bulk as affected by package orientation and perforation location, 1150
mathematical modeling of convective drying of, 1154
reassessment of pectin levels, 225
vegetarian diets
calcium bioavailability in rats, 619
Vibrio vulnificus
detection in octopus by PCR, 179
viscoelasticity
of frozen/thawed egg yolk, 548
of xanthan gels interacting with cations, 1124
viscosity
corn alkaline cooking properties related to, 516
gelatin from cod skins as affected by chemical treatments, 37
low-energy electron effects on grains, 858
vision
analysis of visual quality attributes of white shrimp by machine, 113
vitamin E
affects oxidation of irradiated turkey, 954
hydrolytic stability and changes in extruded rice bran during storage, 704
retention in irradiated pork, 1022
Vitis vinifera L. cv. emir
aroma composition of white wine affected by skin contact, 680
volatile
dietary vitamin E affects irradiated turkey, 954
in cooked alligator meat, 321
mathematical models of flavor release from liquid emulsions, 653
voltage
destruction and inhibition of bacterial spores by high voltage pulsed electric field, 399
volume
changes in flexible, hermetic packages containing respiring produce, 659
dielectric properties of bread system as function of, 145

W

washing
chemical stability of beef heart surimi during frozen storage, 939
color and gel-forming properties of horse mackerel as related to conditions, 985
of beef carcasses to reduce contamination, 373
to remove decayed tissue and improve quality of peach puree, 131
water
absorption: hydration kinetics of red kidney beans, 520
activity: growth of S aureus related to NMR, 861
bacterial and autolytic changes in retention in cod mince, 1139
composition affects residual catalatic activity in chicken heated to specific end-point temperatures, 66
diffusivity: of restructured potato product during deep-fat frying, 135
growth of S aureus related to NMR mobility and activity, 861
modified soy proteins with improved properties, 821
optimizing quality of frankfurters containing added, 194
rinsing and trimming/washing of beef carcasses to reduce contamination, 373
sensory and physical characteristics of reduced-fat turkey frankfurters with modified corn starch and, 1240
uptake of cod mince stored on ice affected by polyphosphates, 305
vapor resistance of apples and celery sticks coated with caseinate-acetylated monoglyceride films, 351
wax
reduction of fluid loss from grapefruit with microemulsion coatings, 789
wheat
development and characterization of biodegradable/edible protein films, 160
soybean flour lipoxygenase isozymes effects on flour dough rheological and breadmaking properties, 281
whey
biopolymers produced by cross-linking soybean 11S globulin with proteins using transglutaminase, 270
changes during processing determined by NIR spectroscopy, 475
exopolysaccharide production from lactose by fermentation with Lactobacillus delbrueckii ssp. bulgaricus, 171
fractionation of lactoperoxidase and lactoferrin from bovine using cation exchange membrane, 996
heat curing of protein films, 1189
improved emulsifying and foaming of proteins after enzymic fat hydrolysis, 48
improves oxidative stability of soybean oil, 348
interactive effects of factors affecting gelation of proteins, 57
optimization of yogurt production using demineralized, 846
partial deacidification and demineralization of cottage cheese by nanofiltration, 338
physical properties of protein stabilized emulsions as related to pH and NaCl, 342
physicochemical properties of whey protein-stabilized emulsions affected by heating and ionic strength, 462
protein and salt effects on calcium induced cold gelation of protein isolate, 382
protein emulsion film performance as affected by lipid type and amount, 390
structure-mechanical properties of protein/cassava starch gels, 1048
whipping
foaming properties of egg albumen with bubbling apparatus compared with, 377
whiting
degradation kinetics of myosin heavy chain of surimi, 724
physicochemical changes in muscle proteins during iced storage, 729
wine
aroma composition of Vitis vinifera affected by skin contact, 680
astringency affected by malic and lactic acid, 416
HPLC analysis of cabernet sauvignon and noble pigment fractions, 684
HPLC analysis of cabernet sauvignon and noble wine pigment fractions, 684
pectic enzyme treatment effects on quality of grape, 1142

X

xanthan
extrudates of gum mixtures affected by chemical agents and irradiation, 816
gum effects on solubility and emulsification properties of soy protein isolate, 1101
viscoelastic properties of gels interacting with cations, 1124

Y

yeast
lactic fermentation of media containing high concentrations of extracts, 1072
yield
of tofu affected by coagulation method, 824
yogurt
fermentation and properties of calcium-fortified soy milk, 457
optimization of production using demineralized whey, 846

Z

Zygosaccharomyces bailii
high hydrostatic pressure as hurdle for inactivation, 855